Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Hitachi, Ltd. Hitachi Virtual Storage Platform 5600H



Functional unit

Per sales unit (per unit)

System boundary

■ final products □intermediate products

Main specifications of the product

Hybrid-Flash Array

- Controller chassis

H/A-65AG-CBXAHS, H/A-F65AG-B1NCBXBHS*

Up to 3 pair

*H/A- means H- or A-

- Drive box

H/A-F65AG-B1NSBX (Up to 96 SAS SFF)

Up to 24 units

H/A-F65AG-B1NUBX (Up to 96 SAS LFF HDD)

Up to 12 units

H/A-F65AG-B1NNBX (Up to 96 NVMe SSD)

Up to 3 units

*The maximum installed drives represents

the case of connecting only a single type of drive box.

The mix of the SAS/NVMe drive is excluded

- Assumed operating years : 5years
 - * The specifications listed are subject to change without notice due to product improvements.

Company Information

Hitachi, Ltd.

+81-3-5471-2745

Registration#	JR-BF-22006C		
PCR number	PA-520000-BF-01		
PCR name	IT equipment		
Publication date	10/14/2022		
Verification date	3/4/2022		
Verification method	Product-by-product		
Verification#	JV-BF-22006		
Expiration date	3/3/2027		
PCR review was conducted by:			
Approval date	2/19/2021		

Approva	al date	2/19/2021
PCR re	eview	Ken Yamagishi
panel	chair	Sustainable Management Promotion Organizetic

Third party verifier*

Yasuo Kozeki

Independent verification of data & declaration in accordance with ISO/TS14067

□internal	■ external
-----------	------------

*Auditor's name is stated if system certification has been performed.

Registration number: JR-BF-22006C



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Quantification results, and contents of the declarationCFP quantification unit :

	Parameter		Unit
CFP Quantification results		870,000	kg-CO₂eq
Breakdown	Raw material acquisition	44,000	kg-CO₂eq
	Production	12,000	kg-CO₂eq
	Distribution	800	kg-CO₂eq
	Use & maintenance	820,000	kg-CO₂eq
	End-of-Life	450	kg-CO₂eq
Value on CFP mark		870,000	kg-CO₂eq
Unit for the value on CFP mark		Per sales unit (per unit)	
Value on CFP mark		8.3	kg-CO₂eq/(TB · Year)
Unit for the value on CFP mark		Per TB · Year*1	

^{*}Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

3. Supplementary environmental information

2. Additional information

- <Products>
- Product Name: Hitachi Virtual Storage Platform 5600H
- Conditions for calculating CO₂eq emissions :

Calculated using controller chassis (H/A-65AG-CBXAHS 1unit and,H/A-F65AG-B1NCBXBHS 2units)

1 drive boxes (H/A-F65AG-B1NSBX(up to 96 SAS SFF drive)) and

12 drive boxes (H/A-F65AG-B1NUBX(up to 1152 SAS LFF drive))

with the maximum installed of SAS SFF/LFF drives

• Product type name of the scenario used :

Disk array (Magnetic disk storage system)

<Product main specifications>

Storage capacity*1 : 20,957.3TB

Operating years *2 : 5 years

Drive type: Hard disk Drive (SAS SFF/LFF HDD)

Disk rotations per minute(rpm): 2.5inch-10k rpm, 3.5inch-7.2k rpm

Disk size and units: 2.5inch-96units, 3.5inch-1,152units

· CO₂eq emissions:

-Per product: 870 t-CO₂eq

-Per 1TB · 1Year : 8.3 kg-CO₂eq/(TB · Year)

- · Measurement conditions :
 - -Power during use is measured by the measurement method specified by certified PCR (PA-520000-BF-01)
- *1 The capacity is calculated as 1TB = 1,000,000,000,000 bytes
- *2 The operating years were assumed to be the statutory useful life(5 years for computer/others)

^{*1} The amount of CO_2 emissions per unit function. Divided CFP results by the storage capacity (TB) and the operating years (Years).

4. Interpretation

- Greenhouse gas emissions at the use and maintenance stages are the largest, accounting for about 93% of the entire life cycle, and the influence of power consumption during use is large, so it can be said that energy-saving performance during use is a very important factor. Please note that the usage and maintenance stage may not be thesame as the customer's terms of use because general conditions have been set and evaluated.
- In calculating CFP, we use our data for the amount of raw materials used, but since it is difficult to collect data at the time of manufacturing thousands of parts, we use general data at the time of manufacturing raw materials. Therefore, it may not reflect the unique characteristics of this product.

5. Assumptions of secondary data used

IDEA V2.1.3, complemented by CO2 Emissions Intensity v1.10.

6. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.

Registration number: JR-BF-22006C