



Canon Inc.

Canon Inkjet Office All-In-One GX3020

Per unit product



Functional unit

Per unit product

System boundary

final products intermediate products

Raw Material acquisition, Production, Distribution,
Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name: Canon Inkjet Office All-In-One GX3020

Specifications

- Multi Functional Printer (Inkjet method)
- Print Speed : Up to 18 ipm (A4)
- Duplex printing
- Weight: approx.8.3kg

Company Information

Canon Inc.
30-2, Shimomaruko 3-chome, Ohta-ku,
Tokyo 146-8501, Japan
+81-3-3758-2111

Registration#	JR-AI-22255C-A
PCR number	PA-590000-AI-04
PCR name	Imaging input and/or output equipment
Publication date	1/18/2023
Verification date	1/11/2023
Verification method	System certification
Verification#	JV-AI-22255
Expiration date	1/10/2028

PCR review was conducted by:

Approval date	4/1/2022
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

Third party verifier*

	Hiroyuki Uchida
--	-----------------

Independent verification of data & declaration in accordance with ISO/TS14067

internal external

*Auditor's name is stated if system certification has been performed.



1. Quantification results, and contents of the declaration


CFP quantification unit :		Per unit product	
Parameter			Unit
CFP Quantification results		110	kg-CO₂eq
Breakdown	Raw material acquisition	70	kg-CO ₂ eq
	Production	3.8	kg-CO ₂ eq
	Distribution	6.8	kg-CO ₂ eq
	Use & maintenance	4.7	kg-CO ₂ eq
	End-of-Life	21	kg-CO ₂ eq
Value on CFP mark		110	kg-CO₂eq
Unit for the value on CFP mark		Per unit product	

*Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

3. Supplementary environmental information

- Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.
- Manufactured at ISO 14001 certified factories.

2. Additional information



Calculated in the following conditions;

- Printing paper is not considered.
- Expected use period is 3 years.
- The standard scenario for Multifunction Device (IJ type).
- US market.
- Print volume: 7,200 sheets.
- The applied Energy Star program version is 3.0.

JV-AI-22255

4. Interpretation

- CO₂ emission in Raw material acquisition is the largest as 66%. It is important to reduce the size and weight, and to use low environmental impact materials.
 - CO₂ emission in End-of-Life is the second largest as 20%. It is important to reduce the size and weight, and improving recycling rates.
 - We evaluated the CFP with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification.
- As such, please be advised that this result would be a rough estimate.

5. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.10 are used.

6. Remarks

1/31/2024 Changes due to additional information to match the Japanese version.

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.