



# Carbon Footprint of Products

## CFP Declaration

Registration number : JR-AI-23282C

### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

CANON Inc.

Document Scanner imageFORMULA DR-M1060II



### Functional unit

Per unit product

### System boundary

final products     intermediate products

Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

### Main specifications of the product

Model name

imageFORMULA DR-M1060II

Specifications

- Sheet Fed Scanner
- Scanning Speed : 60ppm(Simplex)/12ppm(Duplex)  
(Color, 200dpi, A4 horizontal document size)
- Maximum Scan Paper size : A3
- Scanning Resolution : 600dpi
- Scanning sensor Unit : Contact image sensor

### Company Information

Canon Inc.

30-2, Shimomaruko 3-chome, Ohta-ku,  
Tokyo 146-8501. Japan +81-3-3758-2111

|                     |                                       |
|---------------------|---------------------------------------|
| Registration#       | JR-AI-23282C                          |
| PCR number          | PA-590000-AI-07                       |
| PCR name            | imaging input and/or output equipment |
| Publication date    | 10/5/2023                             |
| Verification date   | 9/4/2023                              |
| Verification method | Product-by-product                    |
| Verification#       | JV-AI-23282                           |
| Expiration date     | 9/3/2028                              |

### PCR review was conducted by:

|                        |   |
|------------------------|---|
| Approval date          | 4/24/2023   |
| PCR review panel chair | Masayuki Kanzaki<br>Sustainable Management Promotion Organization |

### Third party verifier\*

|  |                 |
|--|-----------------|
|  | Hiromi Horikawa |
|--|-----------------|

Independent verification of data & declaration in accordance with ISO/TS14067

internal     external

\*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23282C



### 1. Quantification results, and contents of the declaration

CFP quantification unit :


| Parameter                             |                          |                         | Unit                       |
|---------------------------------------|--------------------------|-------------------------|----------------------------|
| <b>CFP Quantification results</b>     |                          | <b>200</b>              | <b>kg-CO<sub>2</sub>eq</b> |
| Breakdown                             | Raw material acquisition | 87                      | kg-CO <sub>2</sub> eq      |
|                                       | Production               | 1.4                     | kg-CO <sub>2</sub> eq      |
|                                       | Distribution             | 5.1                     | kg-CO <sub>2</sub> eq      |
|                                       | Use & maintenance        | 100                     | kg-CO <sub>2</sub> eq      |
|                                       | End-of-Life              | 4.6                     | kg-CO <sub>2</sub> eq      |
| <b>Value on CFP mark</b>              |                          | <b>200</b>              | <b>kg-CO<sub>2</sub>eq</b> |
| <b>Unit for the value on CFP mark</b> |                          | <b>Per unit product</b> |                            |

\*Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

### 3. Supplementary environmental information

• Manufactured at ISO 14001 certified factories.

### 2. Additional information



- Assumed destination of the product when calculated: US
- Calculation method for the use & maintenance stage  
Estimated usage period: 5 years  
Load on the image output device during use is not included.
- Scenario used for load calculation: sheetfed scanner  
Category: low speed2  
Calculation was made under the following situation based on the scenario.  
A4 horizontal feeding, 200dpi, 40ppm(Simplex) /80ppm(Duplex)

### 4. Interpretation

- The load for the Raw material acquisition is 44%. Out of them, plastic causes the largest load
- The load for the Use & maintenance is 51%. Approx. 60% of them are the power consumption by scanner use. Reduction of the power consumption when scanning is an important factor for reducing CO2 emissions. Since the use & maintenance stage is evaluated under representative usage conditions, results may vary depending on the used environments. For example, it would be possible to reduce CO2 emissions for the use & maintenance stages by frequently turning off the main power.
- While our own data is utilized for the used raw material quantity, it is difficult to collect data on hundreds of parts. Therefore, general value is used as the data for raw material production, and it may not reflect the unique characteristics of this product.

For these reasons, please understand this result as an approximate value.

### 5. Assumptions of secondary data used

IDEA v3.1 are used.

### 6. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.