

## Hitachi, Ltd. Hitachi Virtual Storage Platform One Block 24 (30TB NVMe drive support)



### Functional unit

Per sales unit (per unit)

### System boundary

☒ final products
 ☐ intermediate products

### Main specifications of the product

All-Flash Array

- Controller chassis

DW2000-CBS

Up to 24 NVMe SSD

Up to 1 unit

- Drive box

DW-F2000-DBN2E

Up to 24 NVMe SSD

Up to 2 units

- Assumed operating years : 5years

\* The specifications listed are subject to change without notice due to product improvements.

### Company Information

Hitachi, Ltd.

+81-3-5471-2745

Registration#	JR-BF-24005C-A
PCR number	PA-520000-BF-04
PCR name	IT equipments
Publication date	5/29/2024
Verification date	3/12/2024
Verification method	Product-by-product
Verification#	JV-BF-24005
Expiration date	3/11/2029
PCR review was conducted by:	
Approval date	8/15/2023
PCR review	Ken Yamagishi
panel chair	Sustainable Management Promotion Organization
Third party verifier*	
	Takahiro Atou
Independent verification of data & declaration in accordance with ISO/TS14067	
<input type="checkbox"/> internal <input checked="" type="checkbox"/> external	

\*Auditor's name is stated if system certification has been performed.



# Carbon Footprint of Products

## CFP Declaration

Registration number : JR-BF-24005C-A

## Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

### 1. Quantification results, and contents of the declaration

#### CFP quantification unit :

Parameter		Unit
CFP Quantification results		68,000 kg-CO <sub>2</sub> eq
Breakdown	Raw material acquisition	2,800 kg-CO <sub>2</sub> eq
	Production	830 kg-CO <sub>2</sub> eq
	Distribution	54 kg-CO <sub>2</sub> eq
	Use & maintenance	64,000 kg-CO <sub>2</sub> eq
	End-of-Life	150 kg-CO <sub>2</sub> eq
Value on CFP mark		68,000 kg-CO <sub>2</sub> eq
Unit for the value on CFP mark		Per sales unit (per unit)
Value on CFP mark		6.3 kg-CO <sub>2</sub> eq/TB · Year
Unit for the value on CFP mark		Per TB · Year <sup>*1</sup>

\*Quantification results may slightly differ from the sum of the breakdown due to rounding of fractions.

\*1 The amount of CO<sub>2</sub> emissions per unit function. Divided CFP results by the storage capacity (TB) and the assumed service life (Years).

### 3. Supplementary environmental information

### 2. Additional information

#### <Products>

- Product Name : Hitachi Virtual Storage Platform One Block 24
- Conditions for calculating CO<sub>2</sub>eq emissions :  
Calculated using 1 controller chassis (DW2000-CBS) with 24 NVMe SSDs installed.  
and 2 drive boxes (DW-F2000-DBN2E) with the maximum installed of 48 NVMe SSDs
- Product type name of the scenario used :  
Disk array (Solid State Drive(SSD) installed)

#### <Product main specifications>

Storage capacity<sup>\*1</sup> : 2,160TB  
Operating years<sup>\*2</sup> : 5 years  
Drive type : Solid State Drive (NVMe SSD)  
Drive interfaces : NVMe  
Installed drives : 72 units

- CO<sub>2</sub>eq emissions :
  - Per product : 68 t-CO<sub>2</sub>eq
  - Per 1TB · 1Year : 6.3 kg-CO<sub>2</sub>eq/TB · Year
- Measurement conditions :
  - Power during use is measured by the measurement method specified by certified PCR (PA-520000-BF-04)

\*1 The capacity is calculated as 1TB = 1,000,000,000,000 bytes

\*2 The operating years were assumed to be the statutory useful life(5 years for computer/others)

#### 4. Interpretation

- Greenhouse gas emissions at the use and maintenance stages are the largest, accounting for about 94% of the entire life cycle, and the influence of power consumption during use is large, so it can be said that energy-saving performance during use is a very important factor. Please note that the usage and maintenance stage may not be the same as the customer's terms of use because general conditions have been set and evaluated.
- In calculating CFP, we use our data for the amount of raw materials used, but since it is difficult to collect data at the time of manufacturing thousands of parts, we use general data at the time of manufacturing raw materials. Therefore, it may not reflect the unique characteristics of this product.

#### 5. Assumptions of secondary data used

IDEA V2.1.3 , complemented by CO<sub>2</sub> Emissions Intensity v1.15.

#### 6. Remarks

March 12, 2025 Added identifier to registered product name.

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- The CFP only addresses the single impact category of climate change and does not assess other potential social, economic and environmental impacts arising from the provision of a product.

Registration number : JR-BF-24005C-A