



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23445E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

PFU Limited

RICOH

RICOH Image Scanner fi-8950



Functional unit

Per product

System boundary

final products intermediate products

Raw material
acquisition, Production, Distribution,
Use & maintenance, End-of-Life

Main specifications of the product

Product name: RICOH Image Scanner fi-8950
Product Category : Sheet-fed scanner (Without Flat-bed)
For Business

Scanning Speed : Simplex or Duplex, 150 ppm(300 ipm)
Scanning Size : 304.8mm × 431.8mm (12in × 17in)
Scanning Resolutionz : 50~600 dpi (configurable in 1 dpi increments)
*1,200 dpi can be set from the scanner driver

Scanning Method : CIS
*This product is for United States.

Company Information

PFU Limited Imaging Service & Support center

E-mail: scanners@ml.ricoh.com

| | |
|---------------------|---------------------------------------|
| Registration# | JR-AI-23445E |
| PCR number | PA-590000-AI-08 |
| PCR name | Imaging input and/or output equipment |
| Publication date | 1/12/2024 |
| Verification date | 11/30/2023 |
| Verification method | Product-by-product |
| Verification# | JV-AI-23445 |
| Expiration date | 11/29/2028 |

PCR review was conducted by:

| | |
|------------------------|-----------------------------|
| Approval date | 9/1/2023 |
| PCR review panel chair | Masayuki Kanzaki (SuMPO) |

Third party verifier*

Yumiko Umehara

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23445E



1. Results of life cycle impact assessment (LCIA)



2. Life cycle inventory analysis (LCI)

| Parameter | Unit | Unit |
|----------------------------------|---------|------|
| Non-renewable material resources | 2.1E+01 | kg |
| Renewable material resources | 3.4E+01 | kg |

3. Material composition

| Material | Unit | Unit |
|----------------|----------|------|
| Ordinary steel | 9.82E+00 | kg |
| SUS | 1.77E+00 | kg |
| Aluminum | 1.26E-03 | kg |
| Other metals | 4.34E-02 | kg |
| Plastic | 6.28E+00 | kg |
| Rubber | 1.04E-01 | kg |
| Glass | 1.04E-01 | kg |
| Paper and Wood | 2.75E-03 | kg |
| Circuit Board | 4.46E-01 | kg |
| Others | 3.63E+00 | kg |



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23445E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

Product selected for the scenario used for load calculation - Sheet-fed scanner

Product Destination: United States

Calculation method for the use phase

- Scans per day: 20,000 sheets/day (5 scans/day)
- Workdays per month: 20 days/month
- Working days per year: 240 days/year
- Expected usage period: 5 years
- Total scans: 6000 times (24,000,000 sheets)/5 years

Printing paper is not included in the environmental impact

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.2.

It also complies with the European RoHS Directive.

7

Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA datav1.10 are used.

8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-23445E