

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AI-2023429E-A



Remanufactured Product
A3 color Multifunction Printer

ApeosPort-VI C5571 R (for AU)



富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

JR-AI-2023429E-A

ApeosPort, Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries

Registration#

Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

#### **Functional unit**

Per unit of product

#### **System boundary**

■ final products □intermediate products

Raw material acquisition, Production, Distribution, Use & Maintenance, End-of-Life

#### Main specifications of the product

■ Model: ApeosPort-VI C5571 R (for AU)

■ Color Multifunction Printer (EP Type)

■ Print Speed (A4 LEF): Color 55ppm, Monochrome 55ppm

■ Paper Size (Max.): A3、12×18″、SRA3

■ Copy / Print / Scan

Automatic 2 Sided Output,
 Automatic Document Feeder

|   | PCR number                                       | PA-590000-AI-08                               |  |
|---|--|---|--|
|   | PCR name   | Imaging input and/or output equipment         |  |
|   | Publication date                                 | 12/28/2023                                    |  |
|   | <b>Verification date</b>                         | 11/29/2023                                    |  |
|   | Verification method                              | System certificaion                           |  |
|   | Verification#                                    | 2023-FB-EL-59                                 |  |
|   | <b>Expiration date</b>                           | 11/28/2028                                    |  |
|   | PCR review was conducted by:                     |   |  |
|   | Approval date                                    | 9/1/2023                                      |  |
|   | PCR review                                       | Masayuki Kanzaki                              |  |
| 1 | panel chair                                      | Sustainable Management Promotion Organization |  |
|   | Third party verifier*                            |   |  |
|   |  | Sachiko Hashizume                             |  |
|   | ndependent verification of data & declaration in |   |  |

\*Auditor's name is stated if system certification has been performed.

■ external

## **Company Information**

#### **FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japa

https://www.fujifilm.com/fbglobal/eng

Registration number: JR-AI-2023429E-A

□internal


accordance with ISO14025

# EcoLeaf Type III Environmental Declaration (EPD)

Registration number: JR-AI-2023429E-A

#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/




| 2. Life cycle inventory          | (LCI)   |      |
|----------------------------------|---------|------|
| Parameter                        |         | Unit |
| Non-renewable material resources | 3.4E+01 | kg   |
| Renewable material resources     | 2.3E+02 | kg   |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |
|                                  |         |      |

| 3. Material composition |      |      |  |
|-------------------------|------|------|--|
| Material                |      | Unit |  |
| Steel                   | 60   | kg   |  |
| SUS                     | 1.1  | kg   |  |
| Alminium                | 1.4  | kg   |  |
| Other Metals            | 8.5  | kg   |  |
| Plastic                 | 46   | kg   |  |
| Rubber                  | 0.20 | kg   |  |
| Glass                   | 1.9  | kg   |  |
| Paper, Wood             | 7.7  | kg   |  |
| Circuit Board           | 4.5  | kg   |  |
| Conversion Parts        | 7.6  | kg   |  |
| Others                  | 3.3  | kg   |  |

### 5. Additional explanation

- ✓ Product destination: Australia
- ✓ Calculated based on standard scenario for Color Multifunction Printer (EP Type).
- ✓ Printing paper is excluded from Use & maintenance stage.
- ✓ Electric power of Use & maintenance stage is calculated based on TEC value, measured according to ENERGY STAR® Version 3.0.
- ✓ Assumed print volume are 451,200 sheets.

 $1/4 \times 32$  (jobs per day) x 47 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 451,200 (sheets)



#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

## 6-1. Supplementary environmental information

ENERGY STAR® Ver.3.0 qualified.

#### 7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.14.

## 8. Remarks

This product has reused parts collected from used products to reduce the environmental impacts. It is reflected as a reduction at the raw material acquisition stage in the life cycle assessment result.

- Revised on 22 July, 2025 : Modification of description regarding trademarks.
- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.

(Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-2023429E-A