## Type III Environmental Declaration (EPD)


Registration number: JR-AW-23019E

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp

## NIPPON STEEL | NIPPON STEEL CORPORATION

# Seamless Pipes for Mechanical Use

# Application examples of steel pipes for mechanical use



#### Functional unit

1 t

#### System boundary

final products intermediate products

Production Stage and optional supplementary infomation

#### Main specifications of the product

Production sites:

Kansai Works/Wakayama Area(Wakayama, Kainan)

Main standards: STKM11A ~20, S10C ~55C, SCr415/420,

SCM415~440, SNCM439, ABST-090~107,

SUJ2, SUMISTRONG®55-H~100-QC

Main sizes

Outer diameter: 15.9~426.0mm, Thickness: 1.4~51.5mm

#### Company Information

NIPPON STEEL CORPORATION

https://www.nipponsteel.com/en/product/pipe/

Registration#	JR-AW-23019E
PCR number	PA-180000-AW-05
PCR name	Steel products except for construction use
Publication date	02/05/2024
Verification date	11/01/2023
Verification method	Product-by-product
Verification#	JV-AW-23019
Expiration date	10/31/2028
PCR review was o	conducted by:
Approval date	05/10/2023
PCR review	Yasunari Matsuno
panel chair	Chiba University

#### Third party verifier\*

Yasuo Koseki

Independent verification of data & declaration in accordance with ISO14025

external

<sup>\*</sup>Auditor's name is stated if system certification has been performed.

Registration number: JR-AW-23019E

## Type III Environmental Declaration (EPD)

Registration number: JR-AW-23019E

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp

## 1. Results of life cycle impact assessment (LCIA)

Stage Parameter	(1)+(2)+(3)	(1)+(2)	Unit
Global warming IPCC2013 GWP100a	1900	3100	kg-CO₂eq
Acidification	-0.80	1.1	kg-SO <sub>2</sub> eq
Photochemical ozone	0.0017	0.024	kg-PO <sub>4</sub> <sup>3-</sup> eq

Table Legend
(1)Raw material supply
(2)Production
(3)Recycling potential
(1)+(2):sum of (1)and(2) (cradle to gate)
(1)+(2)+(3): sum of (1),(2)and(3) (cradle to gate with allocation for scrap recycling)

stage						
Parameter	Unit	(1)+(2)	(1)	(2)		(3)
Global warming IPCC2013 GWP100a	kg-CO₂eq	3.1E+03	5.6E+02	2.5E+03		-1.2E+03
Ozone layer destruction	kg-CFC-11eq	3.6E-06	1.5E-07	3.4E-06		-2.2E-07
Acidification	kg-SO₂eq	1.1E+00	5.5E-01	5.1E-01		-1.9E+00
Photochemical ozone	kg-C <sub>2</sub> H <sub>4</sub> eq	2.4E-02	5.4E-03	1.8E-02		-2.6E-01
Eutrophication	kg-PO <sub>4</sub> 3-eq	2.4E-02	1.8E-05	2.4E-02		-2.2E-02

2. Life cycle inventory analysis (LCI)					
Parameter		Unit			
Non-renewable material resources	8.7E+02	kg			
Renewable material resources	8.7E+02	kg			
Non-renewable energy resources	4.0E+04	MJ			
Renewable primary energy	1.0E+02	MJ			
Consumption of freshwater	6.0E+01	m <sup>3</sup>			

3. Material composition					
Material		Unit			
Fe	91.3	%			
С	1.10	%			
Si	0.55	%			
Mn	1.60	%			
Р	0.04	%			
S	0.04	%			
Cu	0.50	%			
Ni	2.00	%			
Cr	1.60	%			
Мо	0.90	%			
Nb	0.15	%			
V	0.15	%			
Ti	0.06	%			
В	0.01	%			

4. Waste to disposal					
Parameter		Unit			
Hazardous waste	0.00E+00	kg			
Non-hazardous waste.	2.0E+00	kg			

 $<sup>^{\</sup>star}$ Data derived from LCA and not assigned to the impact categories of LCIA

#### 5. Additional explanation

- 1. Each LCI includes allocation for scrap recycling as an optional supplementary information(3) at table.1. Recycling rate (RR) used in this calculation is 93.0% (calculated based on ISO 20915/JIS Q20915 and using Japan data in 2018 from Japan Iron and SteelFederation and Japan Steel Can Recycling Association).
- 2. Scenarios of transport to site follow the PCR.
- 3. Each item (except iron) in table 3 is the maximum value of all product standards covered by this EPD.However, the iron content in each product is never less than 91.3%, and the contents of other components are adjusted.
- 4. Primary data collected in 2018. The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.
- 5. For the transport of metallurgical coal, the amount is double counted due to the characteristics of the inventory database on which this estimation is based.

## Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp

#### 6-1. Supplementary environmental information

Each production site is certified to ISO 14001.

6-2. Regulated hazardous substances					
Substance	CAS No.	Reference to standards or regulations			
Manganese [Mn]	7439-96-5	Industrial Safety and Health Act			
Cupper [Cu]	7440-50-8	Industrial Safety and Health Act			
Chromium [Cr]	7440-47-3	Industrial Safety and Health Act			
Nickel [Ni]	7440-02-0	Industrial Safety and Health Act			

#### 7. Assumptions of secondary data used

The IDEA2.1.3 data and steel scrap data(JP-AJ-0001) from the Japan Iron and Steel Federation are used.

8. Remarks			
-			
_			

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AW-23019E