



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23524E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

KONICAMINOLTA, INC.

bizhub C3351i



Functional unit

Per unit of product

System boundary

- final products intermediate products

Raw material acquisition, Production, Distribution, Use & maintenance, End-of-Life

Main specifications of the product

Model name : bizhub C3351i

- Marking technologies : Electrophotographic Printer (EP)
- Printing speed(8.5"×11") : Monochrome 35 ppm

Color 35 ppm

- Printing paper : Maximum 8.5"×11"
- Duplex function : Standard

Company Information

Please direct any inquiries or comments to e-mail: eco-support@konicaminolta.com

Registration#	JR-AI-23524E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	2/12/2024
Verification date	2/2/2024
Verification method	System certificaion
Verification#	JV-AI-23524
Expiration date	2/1/2029
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki (Sustainable Management Promotion Organization)

Third party verifier*

Kazuo Naitou

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-23524E



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	6.6E+02	3.7E+02	2.7E+01	5.2E+01	1.5E+02	6.5E+01
Acidification		kg-SO ₂ eq	5.8E-01	3.6E-01	1.8E-03	8.8E-02	8.8E-02	4.6E-02
Resources consumption		kg-Sbeq	9.8E-02	5.2E-02	1.1E-04	2.0E-04	4.5E-02	9.5E-05

2. Life cycle inventory analysis (LCI)

Parameter	Unit	Value
Non-renewable material resources	kg	3.2E+01
Renewable material resources	kg	7.4E+01

3. Material composition

Material	Unit	Value
Steel	kg	1.5E+01
SUS	kg	4.5E-01
Al	kg	1.2E+00
Other metals	kg	1.0E+00
Glass	kg	7.3E-01
Thermoplastics resin	kg	1.5E+01
Wood	kg	4.7E+00
Paper	kg	3.3E+00
Rubber	kg	2.4E-01
Assembled circuit board	kg	2.4E+00
Medium-sized motor	kg	1.7E+00



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-23524E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

- Production destination : North America
- Calculation method of use stage (Caluclated by the standard scenario for MFP (EP type))
- Expected usage period : five years
- Estimated number of sheets used : 163,200
- The impact of printing paper is not included
- The impact of expendables and Maintenance parts are included in the stage of Use&maintenance.

※ Conformed to the International ENERGY STAR® Ver3.0 Program

6-1. Supplementary environmental information

- ENERGY STAR® Ver.3.0 qualified

7. Assumptions of secondary data used

IDEA v2.1.3 and Ecoleaf Enviromental Labeling Program Registry data v1.10

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-23524E