



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24141E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

Canon Inc.

imageRUNNER ADVANCE DX C3926i(For NZ)



※The Cassette Feeding Unit is excluded.

Functional unit

Per unit product

System boundary

final products intermediate products

Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name

imageRUNNER ADVANCE DX C3926i(For NZ)

Specifications

- Multi Functional Printer (Electrophotography)
- CL
- Print Speed : Up to 26 ipm (A4)
- Max paper size : 320 x 450mm(SRA3)
- Print/copy/scan/Duplex printing/ADF
- Weight: approx.83kg(Toner bottle not included)

Company Information

Canon Inc.

30-2, Shimomaruko 3-chome, Ohta-ku,

Tokyo 146-8501, Japan +81-3-3758-2111

| | |
|------------------------------|---|
| Registration# | JR-AI-24141E |
| PCR number | PA-590000-AI-08 |
| PCR name | Imaging input and/or output equipment |
| Publication date | 3/28/2024 |
| Verification date | 3/25/2024 |
| Verification method | Product-by-product |
| Verification# | JV-AI-24141 |
| Expiration date | 3/24/2029 |
| PCR review was conducted by: | |
| Approval date | 9/1/2023 |
| PCR review panel chair | Masayuki Kanzaki Sustainable Management Promotion Organization |

Third party verifier*

Kazuo Naito

Independent verification of data & declaration in accordance with ISO14025

internal


external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24141E



1. Results of life cycle impact assessment (LCIA)



| Parameter | stage | Unit | Total | Raw material acquisition | Production | Distribution | Use & maintenance | End-of-Life |
|---------------------------------|-------|-----------------------|---------|--------------------------|------------|--------------|-------------------|-------------|
| Global warming IPCC2013 GWP100a | | kg-CO ₂ eq | 1.0E+03 | 8.2E+02 | 3.7E+01 | 4.4E+01 | 3.8E+01 | 1.1E+02 |
| Ozone layer destruction | | kg-CFC-11eq | 8.8E-05 | 8.5E-05 | 8.5E-10 | 3.0E-10 | 1.6E-06 | 1.1E-06 |
| Acidification | | kg-SO ₂ eq | 8.7E-01 | 7.5E-01 | 3.5E-03 | 3.6E-02 | 2.8E-02 | 4.8E-02 |
| Resources consumption | | kg-Sbeq | 6.9E-02 | 6.8E-02 | 1.5E-04 | 1.9E-04 | 3.2E-04 | 6.6E-05 |

2. Life cycle inventory analysis (LCI)

| Parameter | Unit | Value |
|--------------------------------|------|---------|
| Non-renewable energy resources | MJ | 1.6E+04 |
| Renewable primary energy | MJ | 7.6E+02 |

3. Material composition

| Material | Quantity | Unit |
|-----------------|----------|------|
| Common Steel | 33 | % |
| Stainless Steel | 0.83 | % |
| Aluminium | 1.7 | % |
| Other Metal | 1.7 | % |
| Plastic | 33 | % |
| Rubber | 0.64 | % |
| Glass | 2.4 | % |
| Paper/Wood | 17 | % |
| Circuit Board | 3.5 | % |
| Others | 5.0 | % |



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24141E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

Calculated in the following conditions;

- Printing paper is not considered.
- Expected use period is 5 years.
- The standard scenario for Multifunction Device (EP type).
- New Zealand market.
- Print volume: 101,400 sheets.
- The applied Energy Star program version is 3.0.

6-1. Supplementary environmental information

Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.

Manufactured at ISO 14001 certified factories.

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data v1.13 of Japan EPD Program by SuMPO are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24141E