



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24114E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

KONICAMINOLTA, INC.

# bizhub 361i



(Photo : Mounted option-unit(DF-714,PC-216) is not included in the calculation. )

## Functional unit

Per unit of product

## System boundary

- final products       intermediate products

Raw material acquisition, Production, Distribution, Use & maintenance, End-of-Life

## Main specifications of the product

Model name : bizhub 361i

- Marking technologies : Electrophotographic Printer (EP)
- Printing speed(A4) : Monochrome 36 ppm

- Printing paper : Maximum A3
- Duplex function : Standard

## Company Information

Please direct any inquiries or comments to e-mail: [eco-support@konicaminolta.com](mailto:eco-support@konicaminolta.com)

Registration#	JR-AI-24114E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	6/10/2024
Verification date	5/17/2024
Verification method	System certificaion
Verification#	JV-AI-24114
Expiration date	5/16/2029
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki (Sustainable Management Promotion Organization)

## Third party verifier\*

Kazuo Naitou

Independent verification of data & declaration in accordance with ISO14025


internal       external

\*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24114E



**1. Results of life cycle impact assessment (LCIA)**



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO <sub>2</sub> eq	7.1E+02	5.4E+02	2.2E+01	2.4E+01	8.7E+01	4.5E+01
Acidification		kg-SO <sub>2</sub> eq	4.8E-01	3.8E-01	1.4E-03	1.9E-02	5.6E-02	2.8E-02
Resources consumption		kg-Sbeq	8.8E-02	7.1E-02	6.8E-05	9.3E-05	1.7E-02	6.1E-05

**2. Life cycle inventory analysis (LCI)**

Parameter	Value	Unit
Non-renewable material resources	5.6E+01	kg
Renewable material resources	9.7E+01	kg

**3. Material composition**

Material	Value	Unit
Steel	3.9E+01	kg
SUS	2.8E-01	kg
Al	4.9E-01	kg
Other metals	2.6E+00	kg
Glass	1.6E+00	kg
Thermoplastics resin	2.7E+01	kg
Wood	5.5E+00	kg
Paper	5.4E+00	kg
Rubber	4.4E-01	kg
Assembled circuit board	2.8E+00	kg
Medium-sized motor	2.0E+00	kg



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24114E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

## 5. Additional explanation

- Production destination : Japan
- Calculation method of use stage (Caluclated by the standard scenario for MFP (EP type))
- Expected usage period : five years
- Estimated number of sheets used : 192,000
- The impact of printing paper is not included
- The impact of expendables and Maintenance parts are included in the stage of Use&maintenance.

※ Conformed to the International ENERGY STAR® Ver3.0 Program

## 6-1. Supplementary environmental information

- ENERGY STAR® Ver.3.0 qualified

## 7. Assumptions of secondary data used

IDEA v2.1.3 and Ecoleaf Enviromental Labeling Program Registry data v1.10

## 8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24114E