# Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

# Fujitsu Limited Fujitsu Server PRIMERGY RX1330 M6



#### **Functional unit**

Per product

#### **System boundary**

■ final products ☐ intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

# Main specifications of the product

Product: PYR1336RBN Rack-mounted Server CPU: Mono Socket

Intel® Xeon® E Processors

Dimensions:  $436 \times 556 \times 43$  (1U) mm (Dimensions without protrusions)

Use period: 5 years

Company Information

Fujitsu Limited

PCR number	PA-520000-BF-04	
PCR name	IT equipments	
<b>Publication date</b>	2024/06/03	
Verification date	2024/05/27	
Verification metho	Product-by-product	
Verification#	JV-BF-24007	
<b>Expiration date</b>	2029/05/26	
PCR review was conducted by:		
Approval da	te 2023/08/15	
PCR review	Ken Yamagishi	

JR-BF-24007E

#### Third party verifier\*

panel chair

Registration#

Hiromi Horikawa

(SuMPO)

Independent verification of data & declaration in accordance with ISO14025

□internal **■** external


https://www.fujitsu.com/global/products/computing/servers/primergy/

Registration number: JR-BF-24007E

<sup>\*</sup>Auditor's name is stated if system certification has been performed.

#### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)			
Parameter		Unit	
Non-renewable material resources	1.3E+01	kg	
Non-renewable energy resources	9.2E+02	kg	
Non-renewable energy resources	3.9E+04	MJ	
Renewable material resources	1.3E+01	kg	
Renewable primary energy	1.3E+03	MJ	
Consumption of freshwater	3.8E-01	m <sup>3</sup>	
Emissions, carbon dioxide (fossil), air, unspecified	2.3E+03	kg	
Resources, crude oil, 44.7M3/kg, ground, Non-renewable energy resources	1.5E+02	kg	
Emissions, volatile organic compound, air, unspecified	8.1E-05	kg	

3. Material composition			
Material		Unit	
Steel sheet	48	%	
Aluminum	4	%	
Copper	2	%	
ABS	1	%	
PC	3	%	
PPS	3	%	
Printed circuit board	12	%	
Cardboard	19	%	
Others	9	%	



#### **Japan EPD Program by SuMPO**

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

# 5. Additional explanation

- Scenario Product Type: Computer Server (excluding the blade system)

- Product Name: PRIMERGY RX1330 M6 Model Name: PYR1336RBN

- Mesurement conditions: Power consumption during use is measured by the measurement method specified by PCR (PA-520000-BF-04)

- Use period: 5 years

- Take-back rate: Calculated assuming 100%

Use Location: JapanProduct Configuration:

CPU: Intel® Xeon® E-2414 x1

(Adjusted Peak Performance(APP): 0.049920WT, Gigaflops: 166.4 GFLOPS)

DIMM: 16GB UDIMM x2 HDD: 2.5inch 2.4TB x2

# 6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver4.0. It also complies with the European RoHS Directive.

#### 7. Assumptions of secondary data used

IDEA v2.1.3 and SuMPO Enviromental Label Program Registration Data Ver 1.13 are used.

#### 8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/english/regulation/)

Registration number: JR-BF-24007E