



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24118E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

bizhub C751i

KONICAMINOLTA, INC.



Functional unit

Per unit of product

System boundary

- final products intermediate products

Raw material acquisition, Production, Distribution, Use & maintenance, End-of-Life

Main specifications of the product

Model name : bizhub C751i

- Marking technologies : Electrophotographic Printer (EP)
- Printing speed(A4) : Monochrome 75 ppm
Color 70 ppm

- Printing paper : Maximum A3
- Duplex function : Standard

Company Information

Please direct any inquiries or comments to e-mail: eco-support@konicaminolta.com

Registration#	JR-AI-24118E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	6/10/2024
Verification date	5/31/2024
Verification method	System certificaion
Verification#	JV-AI-24118
Expiration date	5/30/2029
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki (Sustainable Management Promotion Organization)

Third party verifier*

Kazuo Naitou

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24118E



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	1.9E+03	1.0E+03	5.2E+01	4.7E+01	7.4E+02	8.2E+01
Acidification		kg-SO ₂ eq	1.5E+00	7.4E-01	3.2E-03	3.7E-02	6.5E-01	5.1E-02
Resources consumption		kg-Sbeq	5.1E-01	1.5E-01	1.6E-04	1.9E-04	3.7E-01	1.2E-04

2. Life cycle inventory analysis (LCI)

Parameter	Unit	Value
Non-renewable material resources	kg	1.4E+02
Renewable material resources	kg	3.2E+02

3. Material composition

Material	Unit	Value
Steel	kg	8.6E+01
SUS	kg	8.5E-01
Al	kg	9.5E-01
Other metals	kg	3.4E+00
Glass	kg	1.8E+00
Thermoplastics resin	kg	4.1E+01
Wood	kg	9.4E+00
Paper	kg	1.3E+01
Rubber	kg	5.7E-01
Assembled circuit board	kg	5.2E+00
Medium-sized motor	kg	8.3E+00



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24118E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

- Production destination : Japan
- Calculation method of use stage (Caluclated by the standard scenario for MFP (EP type))
- Expected usage period : five years
- Estimated number of sheets used : 835,200
- The impact of printing paper is not included
- The impact of expendables and Maintenance parts are included in the stage of Use&maintenance.

※ Conformed to the International ENERGY STAR® Ver3.0 Program

6-1. Supplementary environmental information

- ENERGY STAR® Ver.3.0 qualified

7. Assumptions of secondary data used

IDEA v2.1.3 and Ecoleaf Enviromental Labeling Program Registry data v1.10

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24118E