



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24172E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>



Remanufactured Product  
A3 Color Multifunction Printer

ApeosPort-VII C3373 R

**FUJIFILM**

Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

ApeosPort, Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

## Functional unit

Per unit of product

## System boundary

■ final products      ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

## Main specifications of the product

- Model: ApeosPort-VII C3373 R
- Color Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Color 35ppm, Monochrome 35ppm
- Paper Size (Max.): SRA3(320x450mm),  
12×18"(305×457 mm),A3
- Copy / Print / Scan / Fax
- Automatic 2 Sided Output, Automatic Document Feeder

## Company Information

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>

|                              |   |
|------------------------------|---|
| Registration#                | JR-AI-24172E-A                                |
| PCR number                   | PA-590000-AI-08                               |
| PCR name                     | Imaging input and/or output equipment         |
| Publication date             | 6/13/2024                                     |
| Verification date            | 4/10/2024                                     |
| Verification method          | System certificaion                           |
| Verification#                | 2024-FB-EL-001                                |
| Expiration date              | 4/9/2029                                      |
| PCR review was conducted by: |   |
| Approval date                | 9/1/2023                                      |
| PCR review                   | Masayuki Kanzaki                              |
| panel chair                  | Sustainable Management Promotion Organization |

## Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in  
accordance with ISO14025

☐ internal      ☒ external

\* Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24172E-A



EcoLeaf


Type III Environmental Declaration (EPD)

Registration number : JR-AI-24172E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

## 1. Results of life cycle impact assessment (LCIA)



| Parameter                       | stage | Unit                  | Total   | Raw material acquisition | Production | Distribution | Use & maintenance | End-of-Life |
|---------------------------------|-------|-----------------------|---------|--------------------------|------------|--------------|-------------------|-------------|
| Global warming IPCC2013 GWP100a |       | kg-CO <sub>2</sub> eq | 5.6E+02 | 2.5E+02                  | 3.7E+01    | 2.9E+01      | 1.3E+02           | 1.1E+02     |
| Acidification                   |       | kg-SO <sub>2</sub> eq | 5.3E-01 | 2.6E-01                  | 4.3E-03    | 8.7E-02      | 7.3E-02           | 1.1E-01     |
| Resources consumption           |       | kg-Sbeq               | 5.1E-01 | 4.6E-01                  | 1.6E-04    | 1.3E-04      | 4.6E-02           | 1.8E-04     |

## 2. Life cycle inventory analysis (LCI)

| Parameter                        | Unit       |
|----------------------------------|------------|
| Non-renewable material resources | 2.3E+01 kg |
| Renewable material resources     | 1.5E+02 kg |
|                                  |            |
|                                  |            |
|                                  |            |
|                                  |            |
|                                  |            |
|                                  |            |
|                                  |            |
|                                  |            |

## 3. Material composition

| Material         | Unit     |
|------------------|----------|
| Steel            | 62 kg    |
| SUS              | 2.2 kg   |
| Aluminium        | 1.1 kg   |
| Other Metals     | 7.8 kg   |
| Plastic          | 45 kg    |
| Rubber           | 0.071 kg |
| Glass            | 2.0 kg   |
| Paper, Wood      | 7.7 kg   |
| Circuit Board    | 4.2 kg   |
| Conversion Parts | 7.0 kg   |
| Others           | 3.8 kg   |

## 5. Additional explanation

- ✓ Product destination: Japan
- ✓ Calculated based on standard scenario for MFP (EP type).
- ✓ Printing paper is excluded from Use & maintenance stage.
- ✓ The applied International ENERGY STAR® Program Version is 3.0.
- ✓ Assumed print volume are 182,400 sheets.  
1/4 x 32 (jobs per day) x 19 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 182,400 (sheets)



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24172E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

#### 6-1. Supplementary environmental information

ENERGY STAR® Ver.3.0 qualified.

#### 7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.17.

#### 8. Remarks

This product has reused parts collected from used products to reduce the environmental impacts. It is reflected as a reduction at the raw material acquisition stage in the life cycle assessment result.

• Revised on 22 July, 2025 : Modification of description regarding trademarks.

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.

(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24172E-A