Japan EPD Program by SuMPO Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

brother at your side

BROTHER INDUSTRIES, LTD.

4-in-1 Monochrome Laser Printer MFC-L2980DW for Europe



Functional unit		Registration#	JR-AI-24164E		
Per unit of product		PCR number	PA-590000-AI-08		
System boundary		PCR name	Imaging input and/or output equipme		
■ final products	□intermediate products	Publication date	7/5/2024		
Raw material acquisi	tion - Production - Distribution	Verification date	6/24/2024		
- Use & maintenance - End-of-Life		Verification method	System certificaion		
Main specifications of the product		Verification#	JV-AI-24164E		
Model name: MFC-L2980DW		Expiration date	6/23/2029		
- Multifunction device (EP method)		PCR review was conducted by:			
- Monochrome		Approval date	9/1/2023		
- Printing speed:	: 34ppm (A4)	PCR review	Masayuki Kanza	aki	
- Maximum document size: A4		panel chair	Sustainable Management Promotion Organization		
- Print/Copy/Scar	n/FAX/Automatic duplex printing/	Third party verifie	er*		
Automatic docu	ument feeding		Yasuo Koseki		
- Product weight: 12.1kg, Packaging etc.: 3.4kg		Independent verification of data & declaration in			
- Wired/Wireless LAN		accordance with ISO14025			
* This product is	s for Europe.	E	∃internal	■external	
Company Information		*Auditor's name is stated if system sertification has been performed			
Brother Industries,	Ltd.	*Auditor's name is stated if system certification has been performed.			
inml-ecoleaf-jimukyo	ku@brother.co.jp				
https://global.brother	r/en				

Registration number : JR-AI-24164E



EcoLeaf

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24164E

1. Results of life cycle	impact as	ssessmen	it (LCIA)					
			0%	20%	4(0% 60	9% 80	% 100%
Global warming IPCC2013 GWP100a	420	kg-CO2eq	24%			6	7%	<mark>6%</mark>
Acidification	0.26	kg-SO2eq	289	6			65%	<mark>4%</mark>
Resources consumption	0.020	kg-Sbeq	- 0% 0% 43%		57%	0%		
			Dist	material ribution -of-Life	acquisit	ion	Production Use & main	tenance
stage Parameter	Unit	Total	Raw materia acquisition	l Produ	ction	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	4.2E+02	1.0E+02	4.7E	+00	9.0E+00	2.8E+02	2.4E+01
Acidification	kg-SO ₂ eq	2.6E-01	7.2E-02	3.4E	-04	8.0E-03	1.7E-01	1.1E-02
Resources consumption	kg-Sbeq	2.0E-02	8.7E-03	1.5E	-05	3.8E-05	1.2E-02	6.4E-06

2. Life cycle inventory analysis (LCI)						
Parameter		Unit				
Non-renewable material resources	1.8E+01	kg				
Non-renewable energy resources	6.1E+03	MJ				
Renewable material resources	4.2E+01	kg				
Renewable primary energy	1.2E+02	MJ				
Consumption of freshwater	5.5E-01	m³				

3. Material composition				
Material		Unit		
Steel	2.8E+00	kg		
SUS	7.2E-02	kg		
Aluminium	4.1E-02	kg		
Other metal	0.0E+00	kg		
Plastic	7.6E+00	kg		
Rubber	1.1E-01	kg		
Glass	7.0E-01	kg		
Paper and Wood	2.9E+00	kg		
Circuit board	5.0E-01	kg		
Othres	8.9E-01	kg		

5. Additional explanation

Calculation method for usage stage (scenario) : Multifunction device(EP method), Expected use period: 5 years, Assumed usage: 172,800 sheets, Print measuring method (pattern): ISO/IEC 19798, Printing paper is not included in the environmental impact, The applied Energy Star program version is 3.0, This product is for Europe.

6-1. Supplementary environmental information

This product and main compornents are produced in ISO 14001 certified factories.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.10 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24164E