



NIPPON STEEL CORPORATION

TINFREE STEEL

Be sure to refer to "6-1. Supplementary environmental in



Functional unit

1 t

System boundary

Final products Intermediate products

Production stages (raw material procurement, raw material transport and product manufacture) and indirect impacts

Main specifications of the product

Production sites: Nagoya Works and Kyushu Works
Main standards: NTCS, SPTFS, A657M-03, SUS430-TFS, and NTCW

Shape: Coil and sheet

Main thickness (unit: mm, t:=thickness)

t = 0.15 to 0.6

Company Information

NIPPON STEEL CORPORATION
Tin Mill Products Technology Dept., Tin Mill Products Div.
TEL: 03-6867-6558
<https://www.nipponsteel.com/>

| | |
|-------------------------------------|--|
| Registration# | JR-AW-20001E-C |
| PCR number | PA-180000-AW-05 |
| PCR name | Steel products (excluding construction), intermediate products |
| Publication date | October 26, 2020 |
| Verification date | January 29, 2024 |
| Verification method | Product-by-product |
| Verification# | JV-AW-24025 |
| Expiration date | January 28, 2029 |
| PCR review was conducted by: | |
| Approval date | 10/05/2023 |
| PCR review panel chair | Yasunari Matsuno (Chiba University) |

Third party verifier*

Outside verifier: Naoki Makino

Independent verification of data & declaration in accordance with ISO14025

Internal External

* If the system certification has been performed in the subject business site, the auditor's name is stated.

Registration number : JR-AW-20001E-C

1. Results of life cycle impact assessment (LCIA)

| Domain of influence | Manufacturing + Indirect impact*1 | Manufacturing only*2 | Unit |
|---------------------------------|-----------------------------------|----------------------|--------------------------------------|
| Climate change IPCC2013 GWP100a | 1600 | 2800 | kg(CO ₂ eq) |
| Acidification | -0.57 | 1.2 | kg(SO ₂ eq) |
| Eutrophication | 0.0061 | 0.027 | kg(PO ₄ ³⁻ eq) |

*1:[A1]+[A2]+[A3]+[D]

*2:[A1]+[A2]+[A3]

Be sure to refer to "6-1. Supplementary environmental information" for Scope 3 and carbon footprint calculations.

| stage Parameter | Unit | Manufacturing Stage total | [A1] Raw material procurement | [A2] Raw material transport | [A3] Manufacturing products | [D] Indirect impact |
|---------------------------------|-------------------------------------|---------------------------|-------------------------------|-----------------------------|-----------------------------|---------------------|
| Climate change IPCC2013 GWP100a | kg-CO ₂ eq | 2.8E+03 | 6.7E+02 | 1.2E+02 | 2.0E+03 | -1.1E+03 |
| Ozone layer destruction | kg-CFC-11eq | 4.3E-06 | 4.5E-07 | 7.7E-10 | 3.9E-06 | -2.0E-07 |
| Acidification | kg-SO ₂ eq | 1.2E+00 | 7.1E-01 | 7.2E-02 | 3.8E-01 | -1.7E+00 |
| Photochemical oxidant | kg-C ₂ H ₄ eq | 1.9E-02 | 5.6E-03 | 1.2E-03 | 1.2E-02 | -2.4E-01 |
| Eutrophication | kg-PO ₄ ³⁻ eq | 2.7E-02 | 5.5E-03 | 6.9E-13 | 2.1E-02 | -2.1E-02 |

2. Life cycle inventory analysis (LCI)

| Parameter | Unit | Unit |
|----------------------------------|---------|----------------|
| Non-renewable material resources | 8.7E+02 | kg |
| Non-renewable energy resources | 3.2E+04 | MJ |
| Renewable material resources | 1.2E+03 | kg |
| Renewable primary energy | 5.1E+02 | MJ |
| Consumption of freshwater | 5.4E+00 | m ³ |

3. Material composition

| Material | Unit | Unit |
|----------------|-------|------|
| Iron [Fe] | ≥98.9 | % |
| Manganese [Mn] | ≤0.60 | % |
| Nickel [Ni] | ≤0.20 | % |
| Chromium [Cr] | ≤0.10 | % |
| Copper [Cu] | ≤0.20 | % |

4. Waste to disposal

| Parameter | Unit | Unit |
|----------------------|---------|------|
| Hazardous waste | 0.0E+00 | kg |
| Non-hazardous waste. | 2.1E+00 | kg |

5. Additional information about the calculation results

(1) Steel material recycling effects were assessed based on JISQ20915 as indirect impacts. Their values are shown in column [D] of the table above. The indirect impacts are added to the total of [A1] to [A3] in the table above.

The recycling rate in this calculation is 93.0%. (The calculation was based on JISQ20915 and used the domestic data of FY2018. (Source: The Japan Iron and Steel Federation, the Japan Ferrous Raw Materials Association, and Japan Steel Can Recycling Association))

(2) Transport to site scenario is based on PCR.

(3) The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.

*Data derived from LCA and not assigned to the impact categories of LCIA



SuMPO EPD

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

Registration number : JR-AW-20001E-C

<https://ecoleaf-label.jp/>

6-1. Supplementary environmental information

Products are manufactured at an ISO14001 certified Works.

Note on Global warming IPCC2013 GWP100a: When purchasers of this product calculate GHG emissions under GHG Protocol Scope 3, Category 1 for their organization, or when calculating the carbon footprint of products manufactured using this product, they must check the following URL:

<https://www.nipponsteel.com/en/product/cfp/certificate.html>

(The content of the above URL is not subject to EPD verification.)

6-2. Regulated hazardous substances

| Substance | CAS No. | Reference to standards or regulations |
|----------------|-----------|--|
| Manganese [Mn] | 7439-96-5 | Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register |
| Nickel [Ni] | 7440-02-0 | Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register |
| Chromium [Cr] | 7440-47-3 | Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register |
| Copper [Cu] | 7440-50-8 | Article 57-2(1) of the Industrial Safety and Health Act |

7. Assumptions of secondary data used

The IDEA v2.1.3 data were used. For the scrap primary unit (scrap LCI), the primary unit registration No.: JP-AJ-0001 was used.

8. Remarks

January 2024; Modification about allocation method of by-product gases.

July 2024; Modification about the alloy amount.

April 2026; Additional explanatory notes added to "6-1. Supplementary environmental information".

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AW-20001E-C