
Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome,Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AW-20003E-B

## NIPPON STEEL CORPORATION

# **Electrolytic Tinplate**



#### Functional unit

1t

#### System boundary

Final products Intermediate products

Production stages (raw material procurement, raw material transport and product manufacture) and indirect impacts

### Main specifications of the product

Production sites: Nagoya Works and Kyushu Works,

Setouchi Works

Main standards: SPTE,NTET,NTCE,NTCL,A624-03,

A634-86, A626-03 A626-86, A626M-84

Shape: Coil and sheet

Main thickness (unit: mm, t:=thickness)

t = 0.13 to 0.6

Company Information

NIPPON STEEL CORPORATION

Tin Mill Products Technology Dept., Tin Mill Products Div.

TEL: 03-6867-6558

https://www.nipponsteel.com/

Registration#	JR-AW-20003E-B	
PCR number	PA-180000-AW-05	
PCR name	Steel products (excluding construction), intermediate products	
Publication date	October 26,2020	
Verification date	January 29,2024	
Verification method	Product-by-product	
Verification#	JV-AW-24026	
Expiration date	January 28,2029	
PCR review was conducted by:		
Approval date	May 10,2023	
PCR review	Yasunari Matsuno	

#### Third party verifier\*

panel chair

Outside verifier: Naoki Makino

Independent verification of data & declaration in accordance with ISO14025

(Chiba University)

Internal	External
IIIIGIIIai	LAIGITIAI

<sup>\*</sup>Auditor's name is stated if system certification has been performed.

Registration number: JR-AW-20003E-B

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome,Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AW-20003E-B

#### 1. Results of life cycle impact assessment (LCIA)

Domain of influence	Manufacturing + Indirect impact*1	Manufacturing only*2	Unit
Climate change IPCC2013 GWP100a	1700	2900	kg(CO <sub>2</sub> eq)
Acidification	-0.66	1.1	kg(SO <sub>2</sub> eq)
Eutrophication	0.0049	0.025	kg(PO <sub>4</sub> <sup>3-</sup> eq)

\*1:[A1]+[A2]+[A3]+[D]

\*2:[A1]+[A2]+[A3]

stage Parameter	Unit	Manufacturing Stage total	[A1] Raw material procurement	[A2] Raw material transport	[A3]Manufacturing products	[D] Indirect impact
Climate change IPCC2013 GWP100a	kg-CO₂eq	2.9E+03	8.0E+02	1.2E+02	1.9E+03	-1.1E+03
Ozone layer destruction	kg-CFC-11eq	4.0E-06	2.2E-07	7.8E-10	3.8E-06	-2.0E-07
Acidification	kg-SO <sub>2</sub> eq	1.1E+00	7.7E-01	7.6E-02	2.2E-01	-1.7E+00
Photochemical oxidant	kg-C <sub>2</sub> H₄eq	2.1E-02	5.9E-03	1.2E-03	1.4E-02	-2.4E-01
Eutrophication	kg-PO <sub>4</sub> 3-eq	2.5E-02	2.9E-03	7.0E-13	2.3E-02	-2.1E-02

2. Life cycle inventory analysis (LCI)			
Parameter		Unit	
Non-renewable material resources	1.0E+03	kg	
Non-renewable energy resources	3.9E+04	MJ	
Renewable material resources	1.3E+03	kg	
Renewable primary energy	4.8E+02	MJ	
Consumption of freshwater	9.3E+01	m <sup>3</sup>	

3. Material composition			
Material		Unit	
Iron [Fe]	93.9	%	
Manganese [Mn]	0.60	%	
Nickel [Ni]	0.20	%	
Chromium [Cr]	0.10	%	
Copper [Cu]	0.20	%	
Tin [Sn]	5.0	%	

4. Waste to disposal			
Parameter		Unit	
Hazardous waste	0.0E+00	kg	
Non-hazardous waste.	2.1E+00	kg	

<sup>\*</sup>Data derived from LCA and not assigned to the impact categories of LCIA

#### 5 Additional information about the calculation results

(1) Steel material recycling effects were assessed based on JISQ20915 as indirect impacts. Their values are shown in column [D] of the table above. The indirect impacts are added to the total of [A1] to [A3] in the table above.

The recycling rate in this calculation is 93.0%. (The calculation was based on JISQ20915 and used the domestic data of FY2018. (Source: The Japan Iron and Steel Federation, the Japan Ferrous Raw Materials Association, and Japan Steel Can Recycling Association))

- (2) Transport to site scenario is based on PCR.
- (3) The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.



Registration number: JR-AW-20003E-B

### Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Products are manufactured at an ISO14001 certified Works.

6-2. Regulated hazardous substances			
Substance	CAS No.	Reference to standards or regulations	
Manganese [Mn]	7439-96-5	Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register	
Nickel [Ni]	7440-02-0	Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register	
Chromium [Cr]	7440-47-3	Article 57-2(1) of the Industrial Safety and Health Act; Class I designated chemical substance by the Law concerning Pollutant Release and Transfer Register	
Copper [Cu]	7440-50-8	Article 57-2(1) of the Industrial Safety and Health Act	
Tin [Sn]	7440-31-5	Article 57-2(1) of the Industrial Safety and Health Act	

# 7. Assumptions of secondary data used

The IDEA v2.1.3 data were used. For the scrap primary unit (scrap LCI), the primary unit registration No.: JP-AJ-0001 was used.

January 2024; Modification about allocation method of by-product gases

July 2024; Modification about the alloy amount and the consamption of freshwater

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AW-20003E-A