



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24267E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan
<https://ecoleaf-label.jp/>

Canon Inc.

imageRUNNER ADVANCE DX C5860i(For US)



※The Cassette Feeding Unit is excluded.

Functional unit

Per unit product

System boundary

■ final products □ intermediate products

Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name

imageRUNNER ADVANCE DX C5860i(For US)

Specifications

- Multi Functional Printer (Electrophotography)
- CL
- Print Speed : Up to 60 ipm (LTR)
- Max paper size : 320 x 450mm (SRA3)
- Print/copy/scan/Duplex printing/ADF
- Weight : approx.100kg (Toner bottle not included)

Company Information

Canon Inc.

30-2, Shimomaruko 3-chome, Ohta-ku,
Tokyo 146-8501, Japan +81-3-3758-2111

| | |
|------------------------------|---|
| Registration# | JR-AI-24267E |
| PCR number | PA-590000-AI-08 |
| PCR name | Imaging input and/or output equipment |
| Publication date | 8/30/2024 |
| Verification date | 8/23/2024 |
| Verification method | System certificaion |
| Verification# | JV-AI-24267 |
| Expiration date | 8/22/2029 |
| PCR review was conducted by: | |
| Approval date | 9/1/2023 |
| PCR review panel chair | Masayuki Kanzaki Sustainable Management Promotion Organization |

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24267E



1. Results of life cycle impact assessment (LCIA)



| Parameter | stage | Unit | Total | Raw material acquisition | Production | Distribution | Use & maintenance | End-of-Life |
|---------------------------------|-------|-----------------------|---------|--------------------------|------------|--------------|-------------------|-------------|
| Global warming IPCC2013 GWP100a | | kg-CO ₂ eq | 1.6E+03 | 9.4E+02 | 5.5E+01 | 8.2E+01 | 3.6E+02 | 1.4E+02 |
| Ozone layer destruction | | kg-CFC-11eq | 1.2E-04 | 1.0E-04 | 2.4E-09 | 5.9E-10 | 1.1E-05 | 1.5E-06 |
| Acidification | | kg-SO ₂ eq | 1.2E+00 | 8.3E-01 | 8.2E-03 | 1.1E-01 | 2.1E-01 | 5.7E-02 |
| Resources consumption | | kg-Sbeq | 1.1E-01 | 1.0E-01 | 2.2E-04 | 3.4E-04 | 8.3E-03 | 9.7E-05 |

2. Life cycle inventory analysis (LCI)

| Parameter | Unit | Value |
|--------------------------------|------|---------|
| Non-renewable energy resources | MJ | 2.5E+04 |
| Renewable primary energy | MJ | 4.2E+02 |
| | | |
| | | |
| | | |

3. Material composition

| Material | Value | Unit |
|-----------------|-------|------|
| Common Steel | 36 | % |
| Stainless Steel | 0.93 | % |
| Aluminium | 1.3 | % |
| Other Metal | 2.4 | % |
| Plastic | 33 | % |
| Rubber | 0.99 | % |
| Glass | 2.3 | % |
| Paper/Wood | 14 | % |
| Circuit Board | 3.3 | % |
| Others | 6.7 | % |

5. Additional explanation

Calculated in the following conditions;

- Printing paper is not considered.
- Expected use period is 5 years.
- The standard scenario for Multifunction Device (EP type).
- US market.
- Print volume: 537,600 sheets.
- The applied Energy Star program version is 3.0.
- We evaluated the Ecoleaf with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification. As such, please be advised that this result would be a rough estimate.



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24267E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

6-1. Supplementary environmental information

Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU.

Manufactured at ISO 14001 certified factories.

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data v1.13 of Japan EPD Program by SuMPO are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24267E