SuMPO SuMPO EPD

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

Type III Environmental Declaration (EPD)₁₄₋₈, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan Registration number: JR-AI-24360E https://ecoleaf-label.jp/

RICOH COMPANY, LTD

Black and White Printer (Electrophotography)

RICOH imagine. change.

RICOH Pro 8420HT



JR-AI-24360E

JV-AI-24360

Masayuki Kanzaki

(SuMPO)

PA-590000-AI-08

Imaging input and/or output equipment

Functional unit

Per product

System boundary

■ final products □intermediate products Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name: RICOH Pro 8420HT

Product destination: JPN Main specifications:

Print Speed: 136 prints/minute (A4)

Maximum Paper Size: A3

Black and White Printer (Electrophotography)

Hiroyuki Uchida

Registration#

PCR number

PCR name

Verification#

PCR review

panel chair

Third party verifier*

Publication date 9/10/2024 Verification date 8/30/2024

Expiration date 8/29/2029

PCR review was conducted by:

Approval date 9/1/2023

Verification method System certification

Included Units in Assessment: Automatic Duplexing Unit Independent verification of data & declaration in accordance with ISO14025

> □internal ■ external

Company Information

RICOH COMPANY, LTD

Tel:(03) 3777-8111

Registration number: JR-AI-24360E

^{*}Auditor's name is stated if system certification has been performed.

Sumpo Sumpo EPD Sumpo Sumpo EPD Type III Enviro

Japan EPD Program by SuMPO


Sustainable Management Promotion Organization

VERIFIED

Type III Environmental Declaration (EPD₁₄₋₈, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

Registration number: JR-AI-24360E

https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)		
Parameter		Unit
Non-renewable material resources	4.5E+02	kg
Renewable material resources	3.4E+02	kg

3. Material composition		
Material		Unit
SUS	8.4E+00	kg
Aluminum	1.3E+01	kg
Ordinary steel	3.1E+02	kg
Other metals	1.2E+01	kg
Thermoplastic resin	4.4E+01	kg
Thermosetting resin	8.5E-01	kg
Glass	1.6E+00	kg
Rubber	1.4E+00	kg
Paper	3.1E+01	kg
Lubricant	1.0E-01	kg
Mounting circuit board	4.1E+00	kg
Wood	0.0E+00	kg

Registration number: JR-AI-24360E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization ERIFIED Type III Environmental Declaration (EPD) 4-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

Products selected in the scenario used for load calculation

- --Printer (EP)
- · Product destination: JPN
- · Expected usage period: 5 years
- Estimated number of sheets:2774400 sheets **
- *Apply the number of sheets according to the actual usage conditions based on the product performance **Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001

https://jp.ricoh.com/sustainability/environment/management/iso

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24360E