



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24337E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

KONICAMINOLTA ,INC.

bizhub C361i



(Photo : Mounted option-unit(DF-714,PC-216) is not included in the calculation.)

Functional unit

Per unit of product

System boundary

■ final products intermediate products

Raw material acquisition, Production, Distribution,
Use & maintenance, End-of-Life

Main specifications of the product

Model name : bizhub C361i

■ Marking technologies : Electrophotographic Printer (EP)

■ Printing speed(A4) : Monochrome 36 ppm

Color 36 ppm

■ Printing paper : Maximum A3

■ Duplex function : Standard

Company Information

Please direct any inquiries or comments
to e-mail: eco-support@konicaminolta.com

Registration#	JR-AI-24337E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	10/7/2024
Verification date	9/27/2024
Verification method	System certificaion
Verification#	JV-AI-24337
Expiration date	9/26/2029
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki (Sustainable Management Promotion Organization)

Third party verifier*

Kazuo Naitou

Independent verification of data & declaration in accordance
with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24337E



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	9.9E+02	6.2E+02	2.7E+01	6.9E+01	1.7E+02	1.1E+02
Acidification		kg-SO ₂ eq	7.4E-01	4.7E-01	1.6E-03	7.9E-02	1.4E-01	4.9E-02
Resources consumption		kg-Sbeq	1.3E-01	7.5E-02	8.1E-05	2.7E-04	5.5E-02	8.7E-05

2. Life cycle inventory analysis (LCI)

Parameter	Unit	Unit
Non-renewable material resources	6.4E+01	kg
Renewable material resources	1.2E+02	kg

3. Material composition

Material	Unit	Unit
Steel	4.2E+01	kg
SUS	5.1E-01	kg
Al	7.8E-01	kg
Other metals	1.9E+00	kg
Glass	2.1E+00	kg
Thermoplastics resin	3.0E+01	kg
Wood	5.5E+00	kg
Paper	5.4E+00	kg
Rubber	4.7E-01	kg
Assembled circuit board	3.5E+00	kg
Medium-sized motor	2.9E+00	kg



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24337E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

- Production destination : EU
- Calculation method of use stage (Caluclated by the standard scenario for MFP (EP type))
- Expected usage period : five years
- Estimated number of sheets used : 192,000
- The impact of printing paper is not included
- The impact of expendables and Maintenance parts are included in the stage of Use&maintenance.

※ Conformed to the International ENERGY STAR® Ver3.0 Program

6-1. Supplementary environmental information

7. Assumptions of secondary data used

IDEA v2.1.3 and Ecoleaf Enviromental Labeling Program Registry data v1.10

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24337E