Sumpo Sumpo EPD

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

VERIFIED Type III Environmental Declaration (EPD)₁₄₋₈, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan Registration number: JR-AI-24378E https://ecoleaf-label.jp/

RICOH COMPANY, LTD

Color MFP (Electrophotography)







IM C2010G (For NA)



Functional unit

Per product

System boundary

lacktriangledown final products \Box intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name:IM C2010G
Product destination: NA

Main specifications:

Color MFP (Electrophotography)

Print Speed: 20 prints/minute (LT)

Print/Copy/Scan/FAX

Maximum Paper Size: DLT

Included Units in Assessment: Automatic Reversing

Document Feeder, Automatic Duplexing Unit

Company Information

RICOH COMPANY,LTD Tel:(03) 3777-8111

Registration#	JR-AI-24378E			
PCR number	PA-590000-AI-08			
PCR name	Imaging input and/or output equipment			
Publication date	10/18/2024			
Verification date	10/11/2024			
Verification method	System certificaion			
Verification#	JV-AI-24378			
Expiration date	10/10/2029			
PCR review was conducted by:				
Approval date	9/1/2023			
PCR review	Masayuki Kanzaki			
panel chair	(SuMPO)			

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025

□internal

■ external

Registration number: JR-AI-24378E

^{*}Auditor's name is stated if system certification has been performed.

Sumpo Sumpo EPD Sumpo Sumpo EPD Type III Enviro

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

VERIFIED


Type III Environmental Declaration (EPD)4-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

Registration number: JR-AI-24378E

Sustainable Management Promotion Organization

(EPD)4-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

https://ecoleaf-label.jp/



2. Life cycle inventory	(LCI)	
Parameter		Unit
Non-renewable material resources	7.4E+01	kg
Renewable material resources	9.2E+01	kg

3. Material composition			
Material		Unit	
SUS	1.1E+00	kg	
Aluminum	8.5E-01	kg	
Ordinary steel	4.8E+01	kg	
Other metals	3.2E+00	kg	
Thermoplastic resin	3.7E+01	kg	
Thermosetting resin	6.3E-01	kg	
Glass	2.0E+00	kg	
Rubber	3.3E-01	kg	
Paper	1.1E+01	kg	
Lubricant	4.9E-03	kg	
Mounting circuit board	1.5E+00	kg	
Wood	9.1E+00	kg	

Registration number: JR-AI-24378E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization ERIFIED Type III Environmental Declaration (EPD) 4-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

Products selected in the scenario used for load calculation

--MFP (EP)

- · Product destination: NA
- · Expected usage period: 5 years
- Estimated number of sheets:60000 sheets ※
- *Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001 EMS-765926

https://jp.ricoh.com/sustainability/environment/management/iso

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24378E