Sumpo Sumpo EPD

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

VERIFIED Type III Environmental Declaration (EPD)₁₄₋₈, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan Registration number: JR-AI-24382E https://ecoleaf-label.jp/

RICOH COMPANY, LTD

Color MFP (Electrophotography)







IM C4510G (For NA)



Functional unit

Per product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name:IM C4510G Product destination: NA

Main specifications:

Color MFP (Electrophotography)

Print Speed: 45 prints/minute (LT)

Print/Copy/Scan/FAX

Maximum Paper Size: DLT

Included Units in Assessment: Automatic Reversing

Document Feeder, Automatic Duplexing Unit

Company Information

RICOH COMPANY,LTD Tel:(03) 3777-8111

Registration#	JR-AI-24382E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equipment		
Publication date	10/18/2024		
Verification date	10/11/2024		
Verification method	System certificaion		
Verification#	JV-AI-24382		
Expiration date	10/10/2029		
PCR review was conducted by:			
Approval date	9/1/2023		
PCR review	Masayuki Kanzaki		
panel chair	(SuMPO)		

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025

□internal

■external

Registration number: JR-AI-24382E


^{*}Auditor's name is stated if system certification has been performed.

SuMPO EPD

Registration number: JR-AI-24382E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization VERIFIED Type III Environmental Declaration (EPD)14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory	Life cycle inventory analysis (LCI)		
Parameter		Unit	
Non-renewable material resources	8.1E+01	kg	
Renewable material resources	1.2E+02	kg	

3. Material composition				
Material		Unit		
SUS	2.0E+00	kg		
Aluminum	1.2E+00	kg		
Ordinary steel	5.0E+01	kg		
Other metals	3.2E+00	kg		
Thermoplastic resin	3.7E+01	kg		
Thermosetting resin	1.1E+00	kg		
Glass	2.0E+00	kg		
Rubber	4.8E-01	kg		
Paper	1.1E+01	kg		
Lubricant	4.2E-03	kg		
Mounting circuit board	1.9E+00	kg		
Wood	9.1E+00	kg		

Registration number: JR-AI-24382E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization VERIFIED Type III Environmental Declaration (EPD)4-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

Products selected in the scenario used for load calculation

--MFP (EP)

- · Product destination: NA
- · Expected usage period: 5 years
- Estimated number of sheets:297600 sheets **
- *Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001 EMS-765926

https://jp.ricoh.com/sustainability/environment/management/iso

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO v1.13 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24382E