Registration number: JR-AI-24435E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Remanufactured Product A3 Color Multifunction Printer

ApeosPort-VII C5573 R (for TW)

FUJ!FILM

Value from Innovation

富士フィルム ビジネス イノベーション株式会社 **FUJIFILM Business Innovation Corp.**

ApeosPort, Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries. Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

Functional unit

Per unit of product

System boundary

■ final products \square intermediate products Raw material acquisition, Production, Distribution, Use & Maintenance, End-of-Life

Main specifications of the product

■ Model: ApeosPort-VII C5573 R

■ Color Multifunction Printer (EP Type)

■ Print Speed (A4 LEF): Color 55ppm, Monochrome 55ppm

■ Paper Size (Max.): SRA3(320x450mm), 12×18"(305×457 mm), A3

■ Copy / Print / Scan / Fax

■ Automatic 2 Sided Output, Automatic Document Feeder

Company Information

FUJIFILM Business Innovation Corp.

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-24435E-A			
PCR number	PA-590000-AI-08			
PCR name	Imaging input and/or output equipment			
Publication date	12/13/2024			
Verification date	12/4/2024			
Verification method	System certificaion			
Verification#	2024-FB-EL-037			
Expiration date	12/3/2029			
PCR review was conducted by:				

Approval date	9/1/2023
PCR review	Masayuki Kanzaki
panel chair	Sustainable Management Promotion Organization

Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025


	□internal	■external		
*Auditor's name is stated if system certification has been performed.				

Registration number: JR-AI-24435E-A



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/




2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	3.2E+01	kg		
Renewable material resources	2.2E+02	kg		

3. Material composition				
Material		Unit		
Steel	62	kg		
SUS	0.94	kg		
Alminium	1.0	kg		
Other Metals	6.4	kg		
Plastic	47	kg		
Rubber	0.03	kg		
Glass	2.0	kg		
Paper, Wood	8.4	kg		
Circuit Board	4.4	kg		
Conversion Parts	6.5	kg		
Others	4.4	kg		

5. Additional explanation

- · Product destination: Taiwan
- · Calculated based on standard scenario for MFP (EP type).
- · Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR® Program Version is 3.0.
- · Assumed print volume are 451,200 sheets.

 $1/4 \times 32$ (jobs per day) x 47 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 451,200 (sheets)



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

6-1. Supplementary environmental information

7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.18.

8. Remarks

This product has resued parts collected from used products to reduce the environmental impacts. It is reflected as a reduction at the raw material acquisition stage in the life cycle assessment result.

- Revised on 22 July, 2025 : Modification of description regarding trademarks.
- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.

(Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24435E-A