

Remanufactured Product A3 Color Multifunction Printer ApeosPort-VII C5573 R (for AU)



富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

ApeosPort, Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries. Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

Functional unit

Per unit of product

System boundary

■ final products □ intermediate products
 Raw material acquisition, Production, Distribution,
 Use & Maintenance, End-of-Life

Main specifications of the product

- Model: ApeosPort-VII C5573 R
- Color Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Color 55ppm, Monochrome 55ppm
- Paper Size (Max.): SRA3(320x450mm), 12×18"(305×457 mm), A3
- Copy / Print / Scan / Fax
- Automatic 2 Sided Output,

Automatic Document Feeder

Company Information

FUJIFILM Business Innovation Corp.

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-24437E-A				
PCR number	PA-590000-AI-08				
PCR name	Imaging input and/or output equipment				
Publication date	11/14/2024				
Verification date	12/13/2024				
Verification method	System certificaion				
Verification#	2024-FB-EL-035				
Expiration date	12/12/2029				
PCR review was conducted by:					
Approval date	9/1/2023				
PCR review	Masayuki Kanzaki				
panel chair	Sustainable Management Promotion Organization				
Third party verifie	er*				

Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

□internal ■

■ external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24437E-A



EcoLeaf

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24437E-A

1. Results of life cycle	impact as	ssessmen	t (LCIA)					
			0%	20% 4	.0% 60	9% 809	% 100%	
Global warming IPCC2013 GWP100a	920	kg-CO2eq		41%	4 <mark>%</mark> 7%	36%	12%	
Acidification	0.73	kg-SO2eq		48%	1 <mark>% 13%</mark>	24%	14%	
Resources consumption	0.64	kg-PO43-eq		76	%	0% 0%	24% 0%	
Raw material acquisition Production Distribution Use & maintenance End-of-Life End-of-Life								
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life	
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	9.2E+02	3.8E+02	3.6E+01	6.4E+01	3.3E+02	1.1E+02	
Acidification	kg-SO ₂ eq	7.3E-01	3.5E-01	4.3E-03	9.6E-02	1.7E-01	1.0E-01	
Resources consumption	kg-PO ₄ ³⁻ eq	6.4E-01	4.9E-01	1.6E-04	2.7E-04	1.6E-01	1.7E-04	

2. Life cycle inventory analysis (LCI)						
	Unit					
3.1E+01	kg					
2.2E+02	kg					
	3.1E+01					

3. Material composition						
Material		Unit				
Steel	61	kg				
SUS	0.94	kg				
Alminium	1.0	kg				
Other Metals	7.5	kg				
Plastic	48	kg				
Rubber	0.13	kg				
Glass	1.9	kg				
Paper, Wood	8.4	kg				
Circuit Board	4.3	kg				
Conversion Parts	6.3	kg				
Others	3.9	kg				

5. Additional explanation

- Product destination: Australia
- $\cdot\,$ Calculated based on standard scenario for MFP (EP type).
- $\cdot\,$ Assumed lifespan of the product is five years.
- $\cdot\,$ Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR[®] Program Version is 3.0.
- Assumed print volume are 451,200 sheets.
 1/4 x 32 (jobs per day) x 47 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 451,200 (sheets)



EcoLeaf

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24437E-A

6-1. Supplementary environmental information

7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.18.

8. Remarks

This product has resued parts collected from used products to reduce the environmental impacts. It is reflected as a reduction at the raw material acquisition stage in the life cycle assessment result.

 \cdot Revised on 22 July, 2025 : Modification of description regarding trademarks.

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.

(Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24437E-A