



SuMPO EPD

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24502E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan
<https://ecoleaf-label.jp/>



EPSON

A3 large capacity inkjet printer

PX-S8010X (Japan)

Seiko Epson Corporation

Functional unit

Per product

System boundary

- final products intermediate products

Raw material acquisition, Production, Distribution, Use & maintenance, End-of-Life

Main specifications of the product

Model name: PX-S8010X

Main Specifications

- Printer (Inkjet)
- Color
- Print speed: 25ppm (single-sided A4 sheets)
- Maximum paper size (standard cassette): A3
- Automatic duplex printing

※This product is destined for Japan

Company Information

Seiko Epson Corporation

<http://www.epson.com/>

<http://www.epson.jp/contact/> (Japanese)

3-3-5 Owa, Suwa-shi, Nagano-ken, Japan

TEL 81-266-52-5353 (Japan)

Registration#	JR-AI-24502E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	1/30/2025
Verification date	1/21/2025
Verification method	Product-by-product
Verification#	JV-AI-24502
Expiration date	1/20/2030
PCR review was conducted by:	
Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki (SuMPO)

Third party verifier*

Yasuo Koseki

Independent verification of data & declaration in accordance with ISO14025


internal

external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24502E

1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	4.4E+02	3.6E+02	3.2E+01	8.7E+00	3.2E+01	1.2E+01
Acidification		kg-SO ₂ eq	2.8E-01	2.3E-01	3.0E-03	1.2E-02	1.7E-02	1.9E-02
Resources consumption		kg-Sbeq	4.4E-02	4.3E-02	8.2E-05	3.7E-05	1.7E-03	2.7E-05

2. Life cycle inventory analysis (LCI)

Parameter	Value	Unit
Non-renewable material resources	4.2E+01	kg
Renewable material resources	9.3E+01	kg

3. Waste to disposal

Parameter	Value	Unit
Steel	2.8E+01	kg
SUS	5.8E-01	kg
Aluminum	3.5E-02	kg
Other metal	2.8E+00	kg
Plastic	2.2E+01	kg
Rubber	3.2E-01	kg
Glass	0.0E+00	kg
Paper and wood	1.5E+01	kg
Circuit Board	1.4E+00	kg
Other	5.6E+00	kg

5. Additional explanation

- Product destination : Japan
- Calculation method of use stage (scenario)
 - Expected usage period: 5 years
 - Estimated number of use: 90,000 sheets*
 - Print measuring method (pattern): ISO/IEC 19752
 - Inventory of the print paper is not included
- Products selected in the scenario used for inventory calculation
 - Printer(Inkjet)

* In accordance with the ENERGY STAR® Ver.3.1
 90,000sheets = (25 pages x 12 jobs/day x 5 days) / 4 x 4 weeks x 12 months x 5 years

6-1. Supplementary environmental information

- This product and main components are produced in our ISO 14001 certified factories.
- Compliant with the International Energy Star Program Ver.3.1.
- It also complies with the European RoHS Directive.

7. Assumptions of secondary data used

We used IDEA v2.1.3 and SuMPO Environmental Label Program registration intensity v1.13.

8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
 (Reference URL : <https://ecoleaf-label.jp/regulation/>)