

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24519E

Canon Inc.

C1333iF(For NZ)



Functional unit

Per unit product

System boundary

■ final products □ intermediate products

Raw Material acquisition, Production, Distribution, Use & maintenance, and End-of-Life stage

Main specifications of the product

Model name: C1333iF(For NZ)

Specifications

- Multi Functional Printer (Electrophotography)CL
- Print Speed : Up to 33 ipm (A4)
- Max paper size : LGL
- Print/copy/scan/FAX/Duplex printing/ADF
- Weight : approx.22kg (CRG not included)

Company Information

Canon Inc.

30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan +81-3-3758-2111

Registration#	JR-AI-24519E			
PCR number	PA-590000-AI-08			
PCR name	Imaging input and/or output equipment			
Publication date	2/12/2025			
Verification date	2/3/2025			
Verification method	System certificaion			
Verification#	JV-AI-24519			
Expiration date	2/2/2030			
PCR review was conducted by:				
Approval date	9/1/2023			
PCR review	Masayuki Kanzaki			
panel chair	Sustainable Management Promotion Organization			

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025

□internal

external

 $\ensuremath{^*}\xspace{Auditor}\xspace{state}$ name is stated if system certification has been performed.

Registration number : JR-AI-24519E



SuMPO EPD

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24519E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle im	pact asses	sment (L	CIA)					
			0%	20%	40%	60% 8	0% 100%	
Global warming IPCC2013 GWP100a	640	kg-CO2eq		43%	0.92 <mark>%</mark> 2.0%	48.7%	5.6%	
Acidification	0.60	kg-SO2eq	3	37% 0.	2 <mark>9</mark> %1.6%	58.5%	2. <mark>7</mark> % 0.11%	
Resources consumption	0.023	kg-Sbeq			86%		14% 0.24% 0.079	
Raw material acquisition Image: Second seco								
Stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	e End-of-Life	
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	6.4E+02	2.7E+02	5.9E+00	1.3E+01	3.1E+02	3.6E+01	
Ozone layer destruction	kg-CFC-11eq	8.2E-05	3.2E-05	3.4E-08	1.2E-10	5.0E-05	2.5E-07	
Acidification	kg-SO ₂ eq	6.0E-01	2.2E-01	1.7E-03	9.3E-03	3.5E-01	1.6E-02	
Resources consumption	kg-Sbeq	2.3E-02	2.0E-02	2.5E-05	5.5E-05	3.1E-03	1.8E-05	

2. Life cycle inventory analysis (LCI)					
Parameter		Unit			
Non-renewable energy resources	1.0E+04	MJ			
Renewable primary energy	7.2E+02	MJ			

3. Material composition		
Material		Unit
Common Steel	22	%
Stainless Steel	0.19	%
Aluminium	0.80	%
Other Metal	2.6	%
Plastic	45	%
Rubber	3.6	%
Glass	2.9	%
Paper/Wood	16	%
Circuit Board	3.5	%
Others	4.4	%

5. Additional explanation

Calculated in the following conditions;

- $\boldsymbol{\cdot}$ Printing paper is not considered.
- Expected use period is 5 years.
- The standard scenario for Multifunction Device (EP type).
- New Zealand market.
- Print volume: 163,200 sheets.
- The applied Energy Star program version is 3.0.

We evaluated the Ecoleaf with Canon's own data of raw materials weight and the general basic unit for the parts because it is difficult to collect the data for a couple of thousands of parts. Accordingly, the results may be different from the specific product specification. As such, please be advised that this result would be a rough estimate.



SuMPO EPD Type III Environmental Declaration (EPD) Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24519E

6-1. Supplementary environmental information Complies with the EU RoHS Directive (2011/65/EU) and its amendments including 2015/863/EU. Manufactured at ISO 14001 certified factories.

7. Assumptions of secondary data used

IDEA v2.1.3, and registered data v1.13 of Japan EPD Program by SuMPO are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24519E