


Low-alloy Seamless Tubes and Pipes



Functional unit

1 t

System boundary

final products intermediate products

Production Stage and optional supplementary information

Main specifications of the product

Production sites : Kansai Works (Wakayama)

Main standards :

STBA22, STPA22, T12, P12

STBA24, STPA24, T22, P22

Sizes : outside diameter : 6.0mm~406.4mm

thickness : 1.2mm~45.0mm

Company Information

NIPPON STEEL CORPORATION

Specialty Tubular Products Marketing Dept.

Energy Tubular Products Marketing Div.

Pipe and Tube Unit

<https://www.nipponsteel.com>

Registration#	JR-AW-24047E-A
PCR number	PA-180000-AW-05
PCR name	Steel products except for construction use
Publication date	3/10/2025
Verification date	2/19/2025
Verification method	Product-by-product
Verification#	JV-AW-24047
Expiration date	2/18/2030
PCR review was conducted by:	
Approval date	5/10/2023
PCR review panel chair	Yasunari Matsuno (Chiba University)

Third party verifier*

Kazuo Naito

Independent verification of data & declaration in accordance with ISO14025

internal external

*Auditor's name is stated if system certification has been performed.

1. Results of life cycle impact assessment (LCIA)

Parameter	Stage	[A1~A3] + [D]	[A1~A3]	Unit
Global warming IPCC2013 GWP100a		2900	3900	kg-CO ₂ eq
Acidification		1.0	2.6	kg-SO ₂ eq
Eutrophication		0.031	0.050	kg-PO ₄ ³⁻ eq

Table Legend

- 【A1】: Raw mterial supply
- 【A2】: Transport to factory
- 【A3】: Manufacturing
- 【D】: Recycling potential
- 【A1~A3】: sum of 【A1】、【A2】and【A3】 (cradle to gate)
- 【A1~A3】+【D】: sum of 【A1】、【A2】、【A3】 and 【D】 (cradle to gate with allocation for scrap recycling)

Be sure to refer to “6-1. Supplementary environmental information” for Scope 3 and carbon footprint calculations.

Parameter	stage	Unit	[A1~A3]	[A1]	[A2]	[A3]	[D]
Global warming IPCC2013 GWP100a		kg-CO eq	3.9E+03	8.7E+02	8.8E+01	3.0E+03	-1.1E+03
Ozone layer destruction		kg-CFC-11eq	4.8E-06	1.5E-06	5.9E-10	3.3E-06	-1.9E-07
Acidification		kg-SO eq	2.6E+00	6.6E-01	9.6E-02	1.9E+00	-1.6E+00
Photochemical ozone		kg-C H eq	2.7E-02	1.0E-02	1.5E-03	1.5E-02	-2.3E-01
Eutrophication		kg-PO ³⁻ eq	5.0E-02	7.6E-06	5.3E-13	5.0E-02	-2.0E-02

2. Life cycle inventory analysis (LCI)

Parameter	Unit
Non-renewable material resources	9.8E+02 kg
Non-renewable energy resources	4.6E+04 MJ
Renewable material resources	1.4E+03 kg
Renewable primary energy	-7.2E+02 MJ
Consumption of freshwater	1.5E+01 m ³

4. Waste to disposal

Parameter	Unit
Hazardous waste	0.0E+00 kg
Non-hazardous waste.	1.4E+01 kg

*Data derived from LCA and not assigned to the impact categories of LCIA

3. Material composition

Material	Unit
Fe	≥85.0 %
C	0.35 %
Si	0.50 %
Mn	1.06 %
P	0.035 %
S	0.035 %
Cr	2.60 %
Mo	1.13 %

5. Additional explanation

1. Each LCI includes allocation for scrap recycling as an optional supplementary information(D) at table.1 . Recycling rate (RR) used in this calculation is 93.7% (calculated based on ISO 20915/JIS Q20915 and using Japan data in 2022 from Japan Iron and Steel Federation and Japan Steel Can Recycling Association).
2. Scenarios of transport to site follow the PCR. However, the loading rate for scrap transport uses the default value.
3. Each item (except iron) in table 3 is the maximum value of all product standards covered by this EPD. However, the iron content in each product is never less than 85%, and the contents of other components are adjusted.
4. Primary data collected in 2022. The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.
5. For metallurgical coal and alloys, the inventory data



SuMPO EPD

Type III Environmental Declaration (EPD)

Registration number : JR-AW-24047E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp>

6-1. Supplementary environmental information

Production site is certified to ISO 14001.

Note on Global warming IPCC2013 GWP100a: When purchasers of this product calculate GHG emissions under GHG Protocol Scope 3, Category 1 for their organization, or when calculating the carbon footprint of products manufactured using this product, they must check the following URL:

<https://www.nipponsteel.com/en/product/cfp/certificate.html>

(The content of the above URL is not subject to EPD verification.)

6-2. Regulated hazardous substances

Substance	CAS No.	Reference to standards or regulations
Manganese [Mn]	7439-96-5	Industrial Safety and Health Act

7. Assumptions of secondary data used

The IDEA2.1.3 data and steel scrap data(JP-AJ-0001) from the Japan Iron and Steel Federation are used.

8. Remarks

1 April 2026; Additional explanatory notes added to "6-1. Supplementary environmental information".

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AW-24047E-A