Japan EPD Program by SuMPO Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



# 3-in-1 Monochrome Laser Printer DCP-L2627DW for Europe

BROTHER INDUSTRIES, LTD.



# **Functional unit**

Per unit of product

## System boundary

- final products 
   intermediate products

   Raw material acquisition Production Distribution
  - Use & maintenance End-of-Life

## Main specifications of the product

Model name: DCP-L2627DW

- Multifunction device(EP method)
- Monochrome
- Printing Speed: 32ppm (A4)
- Maximum paper size : A4
- Print/Copy/Scan/Automatic duplex printing
- Product weight: 9.9kg, Packaging etc.: 3.0kg
- -Wireless LAN

\* This product is for Europe.

#### JR-AI-24414E **Registration# PCR number** PA-590000-AI-08 PCR name Imaging input and/or output equipment Publication date 3/11/2025 **Verification date** 2/27/2025 Verification method System certificaion Verification# JV-AI-24414E Expiration date 2/26/2030 PCR review was conducted by: Approval date 9/1/2023 PCR review Masayuki Kanzaki panel chair Sustainable Management Promotion Organization Third party verifier\* Yasuo Koseki

Independent verification of data & declaration in accordance with ISO14025

\*Auditor's name is stated if system certification has been performed.

□internal

external

**Company Information** 

Brother Industries, Ltd.

inml-ecoleaf-jimukyoku(at)brother.co.jp https://global.brother/en

Registration number : JR-AI-24414E



## EcoLeaf

# Type III Environmental Declaration(EPD)

Registration number : JR-AI-24414E

# Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle im	pact asses	sment (LO	CIA)				
			0%	20%	40% 60	0% 80%	6 100%
Global warming IPCC2013 GWP100a	530	kg-CO2eq		1%	700		4%
			16%	0%2%	78%		4%
Acidification	0.32	kg-SO2eq			74%		<mark>3%</mark>
				0% 0%			
Resources consumption	0.022	kg-Sbeq	31	%		68%	0%
			Raw materia	al acquisition	Production	Distribution	oution
			Use & main	tenance	End-of-Life		
stage			Raw material			Use &	
Parameter	Unit	Total	acquisition	Production	Distribution	maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO <sub>2</sub> eq	5.3E+02	8.5E+01	4.8E+00	7.5E+00	4.1E+02	2.1E+01
Acidification	kg-SO₂eq	3.2E-01	6.4E-02	3.6E-04	6.6E-03	2.3E-01	9.5E-03
Resources consumption	kg-Sbeq	2.2E-02	6.8E-03	1.4E-05	3.2E-05	1.5E-02	5.4E-06

2. Life cycle inventory analysis (LCI)						
Parameter		Unit				
Non-renewable material resources	2.4E+01	kg				
Non-renewable energy resources	7.7E+03	MJ				
Renewable material resources	5.8E+01	kg				
Renewable primary energy	1.5E+02	MJ				
Consumption of freshwater	6.4E-01	m <sup>3</sup>				

3. Material composition					
Material		Unit			
Steel	1.9E+00	kg			
SUS	4.8E-02	kg			
Aluminium	7.5E-02	kg			
Other metal	0.0E+00	kg			
Plastic	6.5E+00	kg			
Rubber	1.9E-01	kg			
Glass	6.7E-01	kg			
Paper and Wood	2.5E+00	kg			
Circuit board	3.8E-01	kg			
Othres	6.6E-01	kg			

## 5. Additional explanation

Calculation method for usage stage (Scenario) : Multifunction device(EP method), Expected use period: 5 years, Assumed usage: 153,600 sheets, Print measuring method (Pattern): ISO/IEC 19798, Printing paper is not included in the environmental impact, The applied Energy Star program version is 3.0, This product is for Europe.

## 6-1. Supplementary environmental information

This product and main compornents are produced in ISO 14001 certified factories.

## 7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.18 are used.

## 8. Remarks

\_

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24414E