SuMPO EPD VERIFIED Registration number : JR-AI-24645E

Japan EPD Program by SuMPO Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



SHARP

Sharp Corporation DIGITAL MULTIFUNCTIONAL SYSTEM

BP-B537WR (EU)

Functional unit

Per unit of product

System boundary

■ final products □ intermediate products Raw material acquision, Production, Distribution, Use & maintenance, End-of-Life

Main specifications of the product

Model name : BP-B537WR Marking technologies : Electrophotographic Printer (EP) Print speed :Monochrome 37prints/minute (A4)

Maximum Paper Size : A4 Print/Copy/Scan/Fax : Standard Duplex printing/ADF : Standard **Company Information** SHARP CORPORATION Smart Business Solutions BU

E-mail :ECOLEAF-BS@sharp.co.jp

Registration#	JR-AI-24645E			
PCR number	PA-590000-AI-08			
PCR name	Imaging input and/or output equipment			
Publication date	24 March 2025			
Verification date	07 March 2025			
Verification method	System certificaion			
Verification#	FV-08-25002			
Expiration date	3/6/2030			
PCR review was conducted by:				
Approval date	01 September 2023			
PCR review	Masayuki Kanzaki			
panel chair	Sustainable Management Promotion Organization			
Third party verifier*				
	Shouko Hashizume			
Independent verification of data & declaration in				
accordance with ISO14025				

*Auditor's name is stated if system certification has been performed.

external

Registration number : JR-AI-24645E

□internal

Registration number : JR-AI-24645E

SUMPC

VERIFIED Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle im	pact asse	ssment (L	.CIA)						
			0%	20% 4	10% 60	0% 80%	i 100%		
Global warming IPCC2013 GWP100a	530	kg-CO2eq		53%	1% 4%	33%	8%		
Acidification	0. 38	kg-SO2eq		61%	0% \	<mark>7%</mark> 269 0% → 0% →	6% 0% ¬		
Resources consumption	0. 22	kg-Sbeq			83%	0% 0%	17%		
Raw material acquisition Production Distribution									
Stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life		
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	5.3E+02	3.2E+02	6.0E+00	2.5E+01	1.3E+02	4.7E+01		
Acidification	kg-SO ₂ eq	3.8E-01	2.6E-01	1.4E-03	2.8E-02	6.3E-02	2.7E-02		
Resources consumption	kg-Sbeq	2.2E-01	2.0E-01	2.4E-05	1.1E-04	2.3E-02	3.8E-05		

2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	2.1E+01	kg		
Renewable material resources	5.1E+01	kg		

3. Material composition				
Material		Unit		
Steel	7.5E+00	kg		
SUS	2.6E-01	kg		
Aluminium	1.1E-01	kg		
Other metal	2.3E-01	kg		
Plastic	1.7E+01	kg		
Rubber	1.2E-02	kg		
Glass	9.1E-01	kg		
Paper • Wood	3.1E+00	kg		
Circuit Board	2.0E+00	kg		
Others	1.6E+00	kg		

5. Additional explanation

Product destination: Europe

• Calculation method of use stage (scenario)

• Expected usage period: five years

Estimated number of use : 201,600 sheets

32 (Jobs/Day) × 21 (Sheets/Job) \div 4 × 5 (Days/Week) × 4 (Weeks/Month) × 12 (Months/Year) × 5 (Years) = 201,600 sheets

• The impact of paper for printing is not included.

• Products selected in the scenario used for inventory calculation : Multifunction device (EP)

% Calculated according to the ENERGY STAR® Ver.3.0 program.

6-1. Supplementary environmental information

• Assembly and production of this product, as well as production of the photoconductor and toner, which are the main components, are performed at ISO 14001-certified factories.

7. Assumptions of secondary data used

IDEA v2.1.3 and Japan EPD Program by SuMPO Registry data v1.18

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24645E