

**■ NIPPON STEEL | NIPPON STEEL CORPORATION**

**Stainless Steel Sheet/  
Yawata cold rolled sheet  
(Ferritic▪Martensitic)**



**Functional unit**

1t

**System boundary**

final products     intermediate products

Production Stage

(Raw material supply, Transport, Manufacturing)

**Main specifications of the product**

Production sites : Kyushu Works

Main standards :

JIS(Japanese Industrial Standards), ASTM, ASME,  
NIPPON STEEL Standards

See Table 8.Remarks for details

Type : Sheet, Strip

Main sizes(unit:mm, t:thickness) :

t=0.3~2.5

**Company Information**

NIPPON STEEL CORPORATION

Stainless Steel Unit Stainless Steel Technology Div.

<https://www.nipponsteel.com/>

<b>Registration#</b>	JR-BO-24011E-C
<b>PCR number</b>	PA-187000-BO-03
<b>PCR name</b>	Stainless steel products
<b>Publication date</b>	March 19, 2025
<b>Verification date</b>	March 10, 2025
<b>Verification method</b>	Product-by-product
<b>Verification#</b>	JV-BO-24011
<b>Expiration date</b>	March 9, 2030
<b>PCR review was conducted by:</b>	
<b>Approval date</b>	February 4, 2023
<b>PCR review panel chair</b>	Ken Yamagishi Sustainable Management Promotion Organization

**Third party verifier\***


Kengo Minamiyama

Independent verification of data & declaration in accordance with ISO14025 and ISO21930

internal     external

\*Auditor's name is stated if system certification has been performed.

## 1. Results of life cycle impact assessment (LCIA)



Be sure to refer to "6-1. Supplementary environmental information" for Scope 3 and carbon footprint calculations.

Parameter	stage	Unit	Total	Raw material supply	Transport to factory	Manufacturing
Global warming IPCC2013 GWP100a		kg-CO <sub>2</sub> eq	5.5E+03	3.3E+03	4.6E+01	2.1E+03
Ozone layer destruction		kg-CFC-11eq	5.5E-05	2.4E-06	3.1E-10	5.3E-05
Acidification		kg-SO <sub>2</sub> eq	4.0E+00	3.0E+00	6.1E-02	8.9E-01
Photochemical ozone		kg-C <sub>2</sub> H <sub>4</sub> eq	4.4E-02	2.7E-02	5.8E-04	1.7E-02
Eutrophication		kg-PO <sub>4</sub> <sup>3-</sup> eq	4.2E-02	2.7E-05	2.8E-13	4.2E-02

## 2. Life cycle inventory analysis (LCI)

Parameter	Unit
Non-renewable material resources	8.1E+02 kg
Non-renewable energy	6.9E+04 MJ
Renewable material resources	1.6E+03 kg
Renewable primary energy	2.1E+03 MJ
Consumption of freshwater	5.4E+01 m <sup>3</sup>

## 4. Waste to disposal

Parameter	Unit
Hazardous waste	0.0E+00 kg
Non-hazardous waste	4.4E+00 kg

\*Data derived from LCA and not assigned to the impact categories of LCIA

## 3. Material composition

Material	Unit
C	≒ 0.5 %
Si	≒ 3.0 %
Mn	≒ 2.0 %
P	≒ 0.15 %
S	≒ 0.03 %
Ni	≒ 2.5 %
Cr	≒ 31 %
Mo	≒ 4.0 %
Cu	≒ 2.0 %
Nb	≒ 1.0 %
Ti	≒ 1.0 %
Al	≒ 6.0 %
Sn	≒ 1.0 %
N	≒ 0.1 %
Fe	≒ 65 %

## 5. Additional explanation

- Scenarios of transport to site follow the PCR. For the inter-factory transportation for intermediate products, distances were measured using mapping software.
- Each item (except iron) in table 3 is the maximum value of all product standards covered by this EPD. The iron content is adjusted by the contents of other components.
- Primary data collected in 2022. The source of the unit power consumption is the average of 10 electric power suppliers of Japan in 2014.

### 6-1. Supplementary environmental information

Each production area has ISO 14001 certificate.

Note on Global warming IPCC2013 GWP100a: When purchasers of this product calculate GHG emissions under GHG Protocol Scope 3, Category 1 for their organization, or when calculating the carbon footprint of products manufactured using this product, they must check the following URL:

<https://www.nipponsteel.com/en/product/cfp/certificate.html>

(The content of the above URL is not subject to EPD verification.)

### 6-2. Regulated hazardous substances

Substance	CAS No.	Reference to standards or regulations
Manganese [Mn]	7439-96-5	Industrial Safety and Health Act
Copper[Cu]	7440-50-8	Industrial Safety and Health Act
Chromium[Cr]	7440-47-3	Industrial Safety and Health Act
Nickel[Ni]	7440-02-0	Industrial Safety and Health Act

### 7. Assumptions of secondary data used

The IDEA2.1.3 data is used.

### 8. Remarks

○JIS(Japanese Industrial Standards) : JIS G 4304(Hot-rolled stainless steel plate, sheet and strip), JIS G 4305(Cold-rolled stainless steel plate, sheet and strip)

○ASTM A240/A240M (Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications)

○ASME BPVC. II .A SA-240/SA-240M (Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications)

○NIPPON STEEL Standards : Hot-rolled stainless steel sheet and strip, Cold-rolled stainless steel sheet and strip

- November 2025 : Change to contact details.
- April 2025 : Modification based on the change of company name.
- April 2026 : Additional explanatory notes added to "6-1. Supplementary environmental information".

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)