EcoLeaf Type III Environmental Declaration (EPD) Registration number : JR-AI-24643E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

^{Color MFD} TASKalfa MZ7001ci W

KYOCERA Document Solutions Inc.

The impact of following options is not included. ADF Paper Feeder (× 2)

Functional unit

Per unit of product

System boundary

- final products □intermediate products
- Raw material acquisition-Production-Distribution-

Use & maintenance-End-of-Life

Main specifications of the product

Model name : Color MFD

TASKalfa MZ7001ci W

Making Technology : Electrophotographic Printer (EP) Printng Speed:

> Monochrome 70 pages per minute in A4 Color 70 pages per minute in A4

Priting paper : Maximum A3 Duplex function: Standard ADF: Option Copy / Print / Scan / FAX (FAX: Option)

Company Information

KYOCERA Document Solutions Inc. Quality Assurance Division Reliability Assurance Section 21 TEL : 06-6764-3764 https://www.kyoceradocumentsolutions.co.jp

Registration#	JR-AI-24643E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equimpent		
Publication date	3/31/2025		
Verification date	3/12/2025		
Verification method	System certificaion		
Verification#	JV-AI-24643E		
Expiration date	3/11/2030		
PCR review was conducted by:			
Approval date	9/1/2023		
PCR review	Masayuki Kanzaki		
panel chair	Sustanable Management Promotion Organization		
Third party verifier*			

Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025

□internal

external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24643E



EcoLeaf

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24643E

1. Results of life cycle impact assessment (LCIA)								
			0%	20% 4	0% 6	0% 809	% 100%	
Global warming IPCC2013 GWP100a	1200	kg-CO2eq		64%		1% 2 <mark>%</mark> 25%	6 8%	
Acidification	1.00	kg-SO2eq		69%		1 <mark>%</mark> 16%	13 %	
Resources consumption	0.093	kg-Sbeq			98%		0228%	
Raw material acquisition Production Use & maintenance End-of-Life								
stage			Raw material			Use &		
Parameter	Unit	Total	acquisition	Production	Distribution	maintenance	End-of-Life	
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.2E+03	8.0E+02	2.1E+01	1.4E+01	3.1E+02	1.0E+02	
Acidification	kg-SO₂eq	1.0E+00	7.1E-01	7.3E-03	1.2E-02	1.7E-01	1.3E-01	
Resources consumption	kg-Sbeq	9.3E-02	9.1E-02	8.8E-05	5.8E-05	1.9E-03	1.2E-04	

2. Life cycle inventory analysis (LCI)					
Parameter		Unit			
Non-renewable material resources	9.4E+01	kg			
Non-renewable energy resources	2.0E+04	MJ			
Renewable material resources	3.2E+02	kg			
Renewable primary energy	3.5E+02	MJ			

3. Material composition						
Material		Unit				
Steel	4.4E+01	kg				
SUS	2.1E+00	kg				
Cu	2.3E+00	kg				
Al	1.3E+00	kg				
Other metals	3.2E-02	kg				
Glass	2.4E+00	kg				
Thermoplastics resin	3.9E+01	kg				
Thermosetting resin	1.2E+00	kg				
Rubber	5.9E-02	kg				
Paper	2.3E+01	kg				
Assembled circuit board	3.4E+00	kg				
Medium-sized motor	3.2E+00	kg				

5. Additional explanation

- Product destination: Japan
- \cdot Calculation method of use stage (scenario)

1Expected usage period: five years

②Estimated number of sheets used:

Monoclome 364,800 Color 364,800 (3) The impact of printing paper is not included

· Products selected in the scenario used

for inventory calculation :

- Copier, Printer and Multifunction device (EP) • Conformed to the International
 - ENERGY STAR® Ver3.0 Program

· Consumables will be shipped directly from the factory to

the country of sale separately from the product body and all of them are accounted for in the use and maintenance



EcoLeaf Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number : JR-AI-24643E

6-1. Supplementary environmental information

 \cdot Conformed to the International ENERGY STAR $\ensuremath{\mathbb{R}}$ Program

Manufactured at ISO14001 certified factories.

 $\boldsymbol{\cdot}$ Halogenated flame retardants are not used in Plastic housing and outer package.

7. Assumptions of secondary data used

IDEA v2.1.3 and Japan EPD Program by SuMPO Registry data v1.17

8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.

(Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-24643E