

SuMPO EPD Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AI-24660E





富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

A3 Monochrome Multifunction Printer

Apeos 4570 (Model-CPS-TTM) (for US)

Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

Functional unit

Per unit of product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & Maintenance, End-of-Life

Main specifications of the product

■ Model: Apeos 4570 (Model-CPS-TTM)

■ Color Multifunction Printer (EP Type)

■ Print Speed (A4 LEF): Monochrome 45ppm

■ Paper Size (Max.): A3,12x18"(305mmx457mm), SRA3(320mmx450mm)

■ Copy / Print / Scan

Automatic 2 Sided Output,
 Automatic Document Feeder

Company Information

FUJIFILM Business Innovation Corp.

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-24660E			
PCR number	PA-590000-AI-08			
PCR name	Imaging input and/or output equipment			
Publication date	4/30/2025			
Verification date	4/21/2025			
Verification method	System certificaion			
Verification#	2025-FB-EL-002			
Expiration date	4/20/2030			
PCR review was	PCR review was conducted by:			
Approval date	9/1/2023			
PCR review	Masayuki Kanzaki			
panel chair	Sustainable Management Promotion Organization			

Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

11 1501 4025			
	□internal	■ external	
*Auditor's name	is stated if system certi	ification has been performed.	

Registration number: JR-AI-24660E



SuMPO EPD Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion
Organization
14-8, Uchikanda 1-chome, Chiyoda-ku,
Tokyo Japan

https://ecoleaf-label.jp/

JR-AI-24660E

Results of life cycle impact assessment (LCIA)						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO₂eq	8.11E+02	2.36E+01	1.89E+02	2.07E+02	1.97E+02
Ozone layer destruction	kg-CFC-12eq	6.64E-05	3.91E-08	2.79E-08	4.57E-06	2.30E-07
Eutrophication	kg-PO₄132-eq	1.50E-02	4.70E-04	1.88E-04	6.06E-03	5.07E-04
Acidification	kg-SO₂eq	2.06E+00	1.69E-01	2.30E-01	8.96E-01	2.53E-01
Photochemical ozone	kg-C₂H₄eq	1.67E-02	1.97E-05	1.53E-03	1.59E-03	1.24E-03
ADP elements	kg-Sbeq	7.45E-01	9.36E-05	1.40E-05	5.03E-02	1.07E-04

Life cycle inventory analysis (LCI)						
Indicators describing use of primary resources						
		Raw material acquisition	Production	Distribution	Use &	End-of-Life
		Naw material acquisition	Fioduction		maintenance	
RPR _M	MJ	1.57E+01	3.53E-03	2.52E+02	6.60E+02	3.05E-02
NRPR _M	MJ	1.68E+03	2.71E-01	2.84E+00	2.93E+02	1.56E+00
RPR _E	MJ	1.54E+03	2.15E+02	1.05E+01	9.65E+02	1.89E+02
NRPR _E	MJ	1.31E+04	8.53E+02	2.11E+03	4.79E+03	1.29E+03
Consumption of freshwater	m³	4.30E+00	1.62E-02	2.65E+01	6.98E+01	5.49E-02

Additional explanation

- · Product destination: America
- · Calculated based on standard scenario for MFP (EP type).
- · Assumed lifespan of the product is five years.
- · Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR® Program Version is 3.2.
- · Assumed print volume are 297,600 sheets.

1/4 x 32 (jobs per day) x 31 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 297,600 (sheets)

Supplementary environmental information

ENERGY STAR® Ver.3.2 qualified.

Regulated hazardous substances					
Substance	CAS No.	Reference to standards or regulations			
_	_	-			
_	_	-			

Assumptions of secondary data used

Inventory Database: LCI Database IDEA v3.4, Japan EPD Program by SuMPO registered data v1.15.

Remarks		
_		

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)
- This is a selfdeclared translation of EPD that can be accessed at [https://ecoleaf-label.jp/epd/2268] and is published for convenience purposes. Only the original EPD is valid and binding between parties.