Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



A3 Color Multifunction Printer

OFISTAR F2010C



富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

The image above shows FUJIFILM "Apeos C2061", and the actual product is labeled "OFISTAR F2010C".

Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

Functional unit

Per unit of product

System boundary

lacktriangledown final products \Box intermediate products

Raw material acquisition, Production, Distribution, Use & Maintenance, End-of-Life

Main specifications of the product

■ Model: OFISTAR F2010C

■ Color Multifunction Printer (EP Type)

■ Print Speed (A4 LEF): Color 20ppm, Monochrome 20ppm

■ Paper Size (Max.): A3, 11×17"

■ Copy / Print / Scan / Fax

Automatic 2 Sided Output,
Automatic Document Feeder

Company Information

FUJIFILM Business Innovation Corp.

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration#	JR-AI-24515E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equipment		
Publication date	6/16/2025		
Verification date	3/25/2025		
Verification method	System certificaion		
Verification#	2024-FB-EL-067		
Expiration date	3/24/2030		
PCR review was conducted by:			
Approval date	9/1/2023		
PCR review	Masayuki Kanzaki		
panel chair	Sustainable Management Promotion Organization		
Third party varific	>r*		

Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

	□internal	■external	
*Auditor's name	e is stated if system o	ertification has been perf	ormed.

Registration number: JR-AI-24515E



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/


Results of life cycle impact assessment (LCIA) 0% 20% 40% 60% 80% 100% Global warming IPCC2013 GWP100a 560 kg-CO2eq Acidification 0.52 kg-SO2eq Resources consumption 0.49 kg-Sbeq 1%0% 6%0% Water resource consumption 0.83 m3 Raw material acquisition Production ■ Distribution ■ Use & maintenance ■ End-of-Life stage Raw material Use & **Parameter** Unit **Total** acquisition Production Distribution maintenance End-of-Life 3.1E+01 Global warming IPCC2013 GWP100a kg-CO₂eq 5.6E+02 3.9E+02 2.3E+01 6.8E+01 5.1E+01 kg-SO₂eq Acidification 5.2E-01 3.8E-01 3.1E-03 4.5E-02 4.1E-02 4.9E-02 Resources consumption kg-Sbeq 4.9E-01 4.8E-01 1.4E-04 1.0E-04 8.8E-03 7.7E-05 Water resource consumption 8.3E-01 7.7.E-01 1.1.E-02 2.4.E-03 4.7.E-02 2.1.E-03 m^3

2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Renewable material resources	1.3E+02	kg		
Non-renewable material resources	4.6E+01	kg		
Renewable energy resources	1.9E+02	MJ		
Non-renewable energy resources	2.1E+02	MJ		
Consumption of freshwater	8.0E-01	m ³		

3. Material composition				
Material		Unit		
Steel	22	kg		
SUS	0.20	kg		
Alminium	1.5	kg		
Other Metals	5.5	kg		
Plastic	24	kg		
Rubber	0.18	kg		
Glass	1.3	kg		
Paper, Wood	5.3	kg		
Circuit Board	1.2	kg		
Conversion Parts	2.5	kg		
Others	1.7	kg		

5. Additional explanation

- · Product destination: Japan
- · Calculated based on standard scenario for MFP (EP type).
- $\boldsymbol{\cdot}$ Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR® Program Version is 3.0.
- · Assumed print volume are 60,000 sheets.
 - $1/4 \times 20$ (jobs per day) x 10 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 60,000 (sheets)



Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

6-1. Supplementary environmental information

ENERGY STAR® Ver.3.0 qualified.

7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.18.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-24515E