



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24513E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>



A3 Color Multifunction Printer

OFISTAR F3510C

**FUJIFILM**

Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

The image above shows FUJIFILM "Apeos C3571", and the actual product is labeled "OFISTAR F3510C".

Apeos, Apeos logo and ApeosPlus are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

## Functional unit

Per unit of product

## System boundary

- final products      ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

## Main specifications of the product

- Model: OFISTAR F3510C
- Color Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Color 35ppm, Monochrome 35ppm
- Paper Size (Max.): SRA3(320×450 mm),  
12×18"(305×457 mm), A3
- Copy / Print / Scan / FAX
- Automatic 2 Sided Output,  
Automatic Document Feeder

## Company Information

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>

Registration#	JR-AI-24513E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	6/16/2025
Verification date	3/25/2025
Verification method	System certification
Verification#	2024-FB-EL-065
Expiration date	3/24/2030

## PCR review was conducted by:

Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

## Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance  
with ISO14025

☐ internal      ☒ external

\*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-24513E



EcoLeaf


Type III Environmental Declaration (EPD)

Registration number : JR-AI-24513E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

## 1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO <sub>2</sub> eq	1.1E+03	8.2E+02	4.1E+01	4.0E+01	1.3E+02	9.5E+01
Acidification		kg-SO <sub>2</sub> eq	8.6E-01	6.0E-01	4.5E-03	8.6E-02	7.3E-02	9.4E-02
Resources consumption		kg-Sbeq	8.6E-01	8.1E-01	1.9E-04	1.7E-04	4.7E-02	1.6E-04
Water resource consumption		m <sup>3</sup>	1.7E+00	1.5E+00	1.4E-02	2.9E-03	1.7E-01	4.0E-03

## 2. Life cycle inventory analysis (LCI)

Parameter	Unit	Value
Renewable material resources	kg	2.2E+02
Non-renewable material resources	kg	1.0E+02
Renewable energy resources	MJ	3.9E+02
Non-renewable energy resources	MJ	4.3E+02
Consumption of freshwater	m <sup>3</sup>	1.6E+00

## 3. Material composition

Material	Unit	Value
Steel	kg	58
SUS	kg	0.88
Aluminium	kg	0.70
Other Metals	kg	7.3
Plastic	kg	42
Rubber	kg	0.16
Glass	kg	2.0
Paper, Wood	kg	7.2
Circuit Board	kg	3.5
Conversion Parts	kg	4.3
Others	kg	3.8

## 5. Additional explanation

- Product destination: Japan
- Calculated based on standard scenario for MFP (EP type).
- Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR® Program Version is 3.0.
- Assumed print volume are 182,400 sheets.  
 $1/4 \times 32 \text{ (jobs per day)} \times 19 \text{ (sheets per job)} \times 5 \text{ (days)} \times 4 \text{ (weeks)} \times 12 \text{ (months)} \times 5 \text{ (years)} = 182,400 \text{ (sheets)}$



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-24513E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

#### 6-1. Supplementary environmental information

ENERGY STAR® Ver.3.0 qualified.

#### 7. Assumptions of secondary data used

Inventory Database: LCI Database IDEA v2.1.3, Japan EPD Program by SuMPO registered data v1.18.

#### 8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-24513E