



SuMPO EPD

## Type III Environmental Declaration (EPD)

Registration number : JR-AI-25032E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>



# FUJIFILM

Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

## A3 Monochrome Multifunction Printer Apeos 3061 (Model-P-1T) (for JP)

Apeos, Apeos logo, ApeosPro, ApeosPort and ApeosPrint are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

### Functional unit

Per unit of product

### System boundary

- final products      ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

### Main specifications of the product

- Model: Apeos 3061 (Model-P-1T)
- Monochrome Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Monochrome 30ppm
- Paper Size (Max.): A3, 11x17"
- Copy / Print
- Automatic 2 Sided Output

Registration#	JR-AI-25032E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	10/2/2025
Verification date	9/9/2025
Verification method	System certificaion
Verification#	2025-FB-EL-013
Expiration date	9/8/2030
PCR review was conducted by:	

Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

### Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance  
with ISO14025

☐ internal      ☒ external

\*Auditor's name is stated if system certification has been performed.

### Company Information

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>

Registration number : JR-AI-25032E

#### Results of life cycle impact assessment (LCIA)

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO <sub>2</sub> eq	2.94E+02	1.65E+01	2.43E+01	9.67E+01	6.40E+01
Ozone layer destruction	kg-CFC-12eq	2.85E-05	2.71E-08	2.23E-08	2.22E-06	1.29E-08
Eutrophication	kg-PO <sub>4</sub> 132-eq	7.85E-03	3.25E-04	1.47E-04	3.20E-03	6.76E-05
Acidification	kg-SO <sub>2</sub> eq	9.07E-01	1.17E-01	3.32E-02	4.52E-01	6.54E-02
Photochemical ozone	kg-C <sub>2</sub> H <sub>4</sub> eq	6.30E-03	1.02E-05	2.25E-04	8.24E-04	4.88E-04
ADP elements	kg-Sbeq	4.03E-01	6.50E-05	1.08E-05	2.02E-02	1.23E-05

#### Life cycle inventory analysis (LCI)

##### Indicators describing use of primary resources

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
RPR <sub>M</sub>	MJ	8.66E+00	2.45E-03	1.97E+02	6.56E+02	5.26E-03
NRPR <sub>M</sub>	MJ	8.32E+02	1.88E-01	2.77E+00	1.37E+02	7.00E-02
RPR <sub>E</sub>	MJ	6.89E+02	1.49E+02	7.59E+00	4.93E+02	2.76E+01
NRPR <sub>E</sub>	MJ	4.99E+03	5.94E+02	2.89E+02	2.36E+03	3.20E+02
Consumption of freshwater	m <sup>3</sup>	2.05E+00	1.13E-02	2.07E+01	6.91E+01	4.95E-03

#### Additional explanation

- Product destination: Japan
- Calculated based on standard scenario for MFP (EP type).
- Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied ENERGY STAR® Program Version is 3.2.
- Assumed print volume are 135,000 sheets.  
 1/4 x 30 (jobs per day) x 15 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 135,000 (sheets)

#### Supplementary environmental information

ENERGY STAR® Ver.3.2 qualified.

#### Regulated hazardous substances

Substance	CAS No.	Reference to standards or regulations
—	—	—
—	—	—

#### Assumptions of secondary data used

Inventory Database: LCI Database IDEA v3.4, Japan EPD Program by SuMPO registered data v1.15.

#### Remarks

—

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
 (Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at <https://ecoleaf-label.jp/epd/2459> and is published for convenience purposes. Only the original EPD is valid and binding between parties.