


**FUJIFILM**

Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

## A3 Monochrome Multifunction Printer Apeos 2061 (Model-PF-1T) (for JP)

Apeos, Apeos logo, ApeosPro, ApeosPort and ApeosPrint are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

### Functional unit

Per unit of product

### System boundary

- ☒ final products
 ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

### Main specifications of the product

- Model: Apeos 2061 (Model-PF-1T)
- Monochrome Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Monochrome 20ppm
- Paper Size (Max.): A3, 11x17"
- Copy / Print / FAX
- Automatic 2 Sided Output,  
Automatic Document Feeder

Registration#	JR-AI-25033E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	10/2/2025
Verification date	9/9/2025
Verification method	System certificaion
Verification#	2025-FB-EL-014
Expiration date	9/8/2030
PCR review was conducted by:	

Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

### Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance  
with ISO14025

☐ internal
 ☒ external

\*Auditor's name is stated if system certification has been performed.

### Company Information

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>



Registration number :

## SuMPO EPD

### Type III Environmental Declaration (EPD)

JR-AI-25033E

Japan EPD Program by SuMPO

Sustainable Management Promotion

Organization

14-8, Uchikanda 1-chome, Chiyoda-ku,

Tokyo Japan

<https://ecoleaf-label.jp/>

#### Results of life cycle impact assessment (LCIA)

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO <sub>2</sub> eq	3.47E+02	1.65E+01	2.64E+01	3.59E+01	7.43E+01
Ozone layer destruction	kg-CFC-12eq	3.26E-05	2.71E-08	2.24E-08	5.44E-07	1.47E-08
Eutrophication	kg-PO <sub>4</sub> 132-eq	8.52E-03	3.25E-04	1.47E-04	7.00E-04	7.70E-05
Acidification	kg-SO <sub>2</sub> eq	1.04E+00	1.17E-01	3.53E-02	2.26E-01	7.52E-02
Photochemical ozone	kg-C <sub>2</sub> H <sub>4</sub> eq	7.42E-03	1.02E-05	2.39E-04	1.50E-04	5.56E-04
ADP elements	kg-Sbeq	4.93E-01	6.50E-05	1.08E-05	2.79E-03	1.40E-05

#### Life cycle inventory analysis (LCI)

##### Indicators describing use of primary resources

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
RPR <sub>M</sub>	MJ	8.85E+00	2.45E-03	1.97E+02	4.63E+00	6.03E-03
NRPR <sub>M</sub>	MJ	9.71E+02	1.88E-01	2.77E+00	3.11E+01	8.05E-02
RPR <sub>E</sub>	MJ	7.88E+02	1.49E+02	7.60E+00	2.77E+02	3.15E+01
NRPR <sub>E</sub>	MJ	5.83E+03	5.94E+02	3.12E+02	1.15E+03	3.65E+02
Consumption of freshwater	m <sup>3</sup>	2.23E+00	1.13E-02	2.07E+01	5.43E-01	5.67E-03

#### Additional explanation

- Product destination: Japan
- Calculated based on standard scenario for MFP (EP type).
- Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied International ENERGY STAR® Program Version is 3.2.
- Assumed print volume are 60,000 sheets.  
1/4 x 20 (jobs per day) x 10 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 60,000 (sheets)

#### Supplementary environmental information

- ENERGY STAR® Ver.3.2 qualified.

#### Regulated hazardous substances

Substance	CAS No.	Reference to standards or regulations
—	—	—
—	—	—

#### Assumptions of secondary data used

Inventory Database: LCI Database IDEA v3.4, Japan EPD Program by SuMPO registered data v1.15.

#### Remarks

—

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at <https://ecoleaf-label.jp/epd/2460> and is published for convenience purposes. Only the original EPD is valid and binding between parties.