



**FUJIFILM**  
Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

A3 Monochrome Multifunction Printer  
**Apeos 3061 (Model-PFS-4T-B)**  
(for JP)

Inner Exit Tray is an optional kit, and not included in the calculation.

Apeos, Apeos logo, ApeosPro, ApeosPort and ApeosPrint are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

## Functional unit

Per unit of product

## System boundary

☒ final products ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

## Main specifications of the product

- Model: Apeos 3061 (Model-PFS-4T-B)
- Monochrome Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Monochrome 30ppm
- Paper Size (Max.): A3, 11x17"
- Copy / Print / Scan / FAX
- Automatic 2 Sided Output,  
Automatic Document Feeder

Registration#	JR-AI-25039E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	10/2/2025
Verification date	9/9/2025
Verification method	System certification
Verification#	2025-FB-EL-020
Expiration date	9/8/2030
PCR review was conducted by:	

Approval date	9/1/2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

## Third party verifier\*

Sachiko Hashizume

Independent verification of data & declaration in accordance  
with ISO14025

☐ internal ☒ external

\*Auditor's name is stated if system certification has been performed.

## Company Information

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>



Registration number :

## SuMPO EPD

### Type III Environmental Declaration (EPD)

JR-AI-25039E

Japan EPD Program by SuMPO

Sustainable Management Promotion

Organization

14-8, Uchikanda 1-chome, Chiyoda-ku,

Tokyo Japan

<https://ecoleaf-label.io/>

#### Results of life cycle impact assessment (LCIA)

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO <sub>2</sub> eq	4.61E+02	1.65E+01	3.94E+01	9.88E+01	1.03E+02
Ozone layer destruction	kg-CFC-12eq	3.75E-05	2.71E-08	2.90E-08	2.22E-06	2.12E-08
Eutrophication	kg-PO <sub>4</sub> 132-eq	1.42E-02	3.25E-04	2.18E-04	3.20E-03	1.13E-04
Acidification	kg-SO <sub>2</sub> eq	1.47E+00	1.17E-01	5.24E-02	4.55E-01	1.07E-01
Photochemical ozone	kg-C <sub>2</sub> H <sub>4</sub> eq	8.90E-03	1.02E-05	3.54E-04	8.76E-04	8.09E-04
ADP elements	kg-Sbeq	7.27E-01	6.50E-05	1.54E-05	2.01E-02	2.03E-05

#### Life cycle inventory analysis (LCI)

##### Indicators describing use of primary resources

		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
RPR <sub>M</sub>	MJ	1.55E+01	2.45E-03	2.93E+02	6.56E+02	8.67E-03
NRPR <sub>M</sub>	MJ	1.37E+03	1.88E-01	2.88E+00	1.37E+02	1.14E-01
RPR <sub>E</sub>	MJ	1.12E+03	1.49E+02	1.12E+01	4.94E+02	4.57E+01
NRPR <sub>E</sub>	MJ	7.94E+03	5.94E+02	4.65E+02	2.38E+03	5.30E+02
Consumption of freshwater	m <sup>3</sup>	3.49E+00	1.13E-02	3.08E+01	6.91E+01	8.19E-03

#### Additional explanation

- Product destination: Japan
- Calculated based on standard scenario for MFP (EP type).
- Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The applied ENERGY STAR® Program Version is 3.2.
- Assumed print volume are 135,000 sheets.  
1/4 x 30 (jobs per day) x 15 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 135,000 (sheets)

#### Supplementary environmental information

- ENERGY STAR® Ver.3.2 qualified.

#### Regulated hazardous substances

Substance	CAS No.	Reference to standards or regulations
—	—	—
—	—	—

#### Assumptions of secondary data used

Inventory Database: LCI Database IDEA v3.4, Japan EPD Program by SuMPO registered data v1.15.

#### Remarks

—

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at <https://ecoleaf-label.jp/epd/2466> and is published for convenience purposes. Only the original EPD is valid and binding between parties.