

SuMPO EPD

Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

https://ecoleaf-label.jp/



Registration number: JR-AI-25109E

RICOH COMPANY, LTD

Color MFP (Electrophotography)

IM C401F (for NA)

EDP 423965



Functional unit

Per product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name: IM C401F (for NA) EDP 423965

Main specifications:

MFP (Electrophotography)

Print Speed: Monochrome 45ppm, Color 40ppm (LT) Third party verifier*

Maximum Paper Size: LT

Function: Print /Copy /Scan /FAX

Included Units in Assessment : Automatic Reversing

Document Feeder, Automatic Duplexing Unit

	Registration#	JR-AI-25109E		
	PCR number	PA-590000-AI-08		
	PCR name	Imaging input and/or output equipment		
P	ublication date	15 Oct 2025		
Ve	erification date	8 Aug 2025		
Verification method		System certificaion		
	Verification#	JV-AI-25109		
Е	xpiration date	7 Aug 2030		
PCR review was conducted by:				
	Approval date	1 Sep 2023		
	PCR review	Masayuki Kanzaki		
	panel chair	(SuMPO)		

Hiroyuki Uchida

Independent verification of data & declaration in

accordance with ISO14025

□internal ■ external

*Auditor's name is stated if system certification has been performed.

Company Information

RICOH COMPANY,LTD https://www.ricoh.co.jp/


Registration number: JR-AI-25109E



SuMPO EPD Type III Environmental Declaration (EPD)

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AI-25109E



2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	6.5E+01	kg		
Renewable material resources	1.2E+02	kg		

3. Material composition				
Material		Unit		
SUS	1.2E+00	kg		
Aluminum	5.7E-01	kg		
Ordinary steel	2.0E+01	kg		
Other metals	2.0E+00	kg		
Thermoplastic resin	2.2E+01	kg		
Thermosetting resin	2.9E-01	kg		
Glass	1.1E+00	kg		
Rubber	6.6E-01	kg		
Paper	7.8E+00	kg		
Lubricant	2.3E-03	kg		
Mounting circuit board	1.6E+00	kg		
Wood	1.9E-04	kg		
Other	0.0E+00	kg		

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

https://ecoleaf-label.jp/

Registration number: JR-AI-25109E

Products selected in the scenario used for load calculation

- --MFP (Electrophotography)
- · Product destination: NA
- · Expected usage period: 5 years

5. Additional explanation

- Estimated number of sheets:297,600 sheets **
- *Compatible with International Energy Star Program Ver.3.0
- -The load on the image output medium (printing paper) is not included.

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive. Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001, SGS-CN18/20330

https://jp.ricoh.com/sustainability/environment/management/iso

7. Assumptions of secondary data used

IDEA v3.1.0, and registered data of Japan EPD Program by SuMPO v1.15 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-25109E