EcoLeaf Type III Environmental Declaration (EPD)

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan

https://ecoleaf-label.jp/

Registration number: JR-AI-21064E



Color MFD TASKalfa 3554ci

KYOCERA Document Solutions Inc.

Functional unit

Per unit of product

System boundary

■ final products □intermediate products

Raw material acquisition-Production-DistributionUse & maintenance-End-of-Life

Main specifications of the product

Model name :Color MFD

TASKalfa 3554ci

Making Technology :Electrophotographic Printer (EP) Printng Speed: Color 35 Pages per minute in A4

Monoclome 35 Pages per minute in A4

priting paper :Maximum A3
Duplex function: Standard
Company Information

KYOCERA Document Solutions Inc.

Quality Assurance Division Reliability Assurance Section 11

TEL: 06-6764-3764

http://www.kyoceradocumentsolutions.co.jp/

| Registration# | JR-AI-21064E |
|-------------------------|--|
| PCR number | PA-590000-AI-03 |
| PCR name | Imaging input and/or output equimpent |
| Publication date | 5/14/2021 |
| Verification date | 4/28/2021 |
| Verification method | System certificaion |
| Verification# | JV-AI-21064E |
| Expiration date | 4/27/2026 |
| PCR review was | conducted by: |
| Approval date | 11/8/2019 |
| PCR review | Masayuki Kanzaki |
| panel chair | Sustanable Management Promotion Organizati |
| | |

Third party verifier*

Wataru Kawamura

Independent verification of data & declaration in accordance with ISO14025

□internal ■ external

Registration number: JR-AI-21064E

^{*}Auditor's name is stated if system certification has been performed.




Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Type III Environmental Declaration (EPD)
Registration number: JR-AI-21064E

| 1. Results of life cycle impact assessmen | | | | | |
|---|-------|----------|--|--|--|
| Global warming IPCC2013 GWP100a | 930 | kg-CO2eq | | | |
| Acidification | 0.92 | kg-SO2eq | | | |
| Resources consumption | 0.083 | kg-Sbeq | | | |



| stage | | | Raw material | | | Use & | |
|---------------------------------|-----------------------|---------|--------------|------------|--------------|-------------|-------------|
| Parameter | Unit | Total | acquisition | Production | Distribution | maintenance | End-of-Life |
| Global warming IPCC2013 GWP100a | kg-CO ₂ eq | 9.3E+02 | 6.7E+02 | 4.2E+01 | 2.6E+01 | 1.2E+02 | 7.3E+01 |
| Acidification | kg-SO₂eq | 9.2E-01 | 6.9E-01 | 3.3E-03 | 5.9E-02 | 7.3E-02 | 9.7E-02 |
| Resources consumption | kg-Sbeq | 8.3E-02 | 8.2E-02 | 6.3E-05 | 1.1E-04 | 7.6E-04 | 7.1E-05 |

| 2. Life cycle inventory analysis (LCI) | | | | |
|--|---------|------|--|--|
| Parameter | | Unit | | |
| Non-renewable material resources | 7.8E+01 | kg | | |
| Non-renewable energy resources | 1.4E+04 | MJ | | |
| Renewable material resources | 1.6E+02 | kg | | |
| Renewable primary energy | 3.1E+02 | MJ | | |

| 3. Material composition | | | | |
|-------------------------|---------|------|--|--|
| Material | | Unit | | |
| Steel | 3.9E+01 | kg | | |
| SUS | 1.6E+00 | kg | | |
| Cu | 1.9E+00 | kg | | |
| Al | 1.9E+00 | kg | | |
| Other metals | 3.0E-02 | kg | | |
| Glass | 2.2E+00 | kg | | |
| Thermoplastics resin | 3.7E+01 | kg | | |
| Thermosetting resin | 1.0E+00 | kg | | |
| Rubber | 5.9E-02 | kg | | |
| Paper | 2.4E+01 | kg | | |
| Assembled circuit board | 3.5E+00 | kg | | |
| Medium-sized motor | 2.6E+00 | kg | | |

5. Additional explanation

- · Product destination: Japan
- · Calculation method of use stage (scenario)
 - ①Expected usage period: five years
 - ②Estimated number of sheets used:

Color 91,200, Monoclome 91,200

- 3The impact of printing paper is not included
- Products selected in the scenario used for inventory calculation: Multifunction device (EP)
- Conformed to the International ENERGY STAR® Ver3.0 Program
- Consumables will be shipped directly from the factory to the country of sale separately from the product body.

EcoLeaf

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Type III Environmental Declaration (EPD)
Registration number: JR-AI-21064E

6-1. Supplementary environmental information

- · Conformed to the International ENERGY STAR® Ver3.0 Program
- · Manufactured at ISO14001 certified factories.
- halogenated flame retardants are not used in Plastic housing and outer package.

7

IDEA v2.1.3 and Ecoleaf Environmental Labeling Program Registry data v1.08

8. Remarks

_

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-21064E