

Registration number: JR-AI-25233E

SuMPO EPD Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

KONICAMINOLTA ,INC. **bizhub** 5001i



Functional unit

Per unit of product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Model name : bizhub 5001i

■ Marking technologies : Electrophotographic Printer (EP

■ Printing speed(A4): Monochrome 50 ppm

■ Printing paper: Maximum A4
■ Duplex function: Standard

Company Information

Please direct any inquiries or comments to email: eco-support@konicaminolta.com

		PCR number	PA-590000-AI-08
		PCR name	Imaging input and/or output equipment
	P	ublication date	10/20/2025
	V	erification date	9/30/2025
	Ve	rification method	Product-by-product
		Verification#	JV-AI-25233
	E	xpiration date	9/29/2030
	PC	R review was	conducted by:
		Approval date	9/1/2023
ΞF	P)	PCR review	Masayuki Kanzaki
		panel chair	Sustainable Management Promotion Organization

JR-AI-25233E

Third party verifier*

Registration#

Tomoko Fuchigami

Independent verification of data & declaration in accordance with ISO14025

□internal **■** external

Registration number: JR-AI-25233E

^{*}Auditor's name is stated if system certification has been performed.



SuMPO EPD Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

JR-AI-25233E

esults of life cycle impact assessment (LCIA)						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO₂eq	1.2E+02	6.2E+00	9.5E+00	3.4E+02	2.9E+01
Acidification	kg-SO₂eq	3.4E-01	4.7E-02	6.3E-03	1.4E+00	1.9E-02
ADP elements	kg-Sbeq	6.3E-03	1.9E-05	1.8E-08	4.6E-03	3.7E-06

Life cycle inventory analysis (LCI)						
Indicators describing use of primary						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
RPR _E	MJ	2.8E+02	5.9E+01	1.8E-02	2.7E+03	8.2E+00
NRPR _E	MJ	2.0E+03	8.9E+01	1.1E+02	7.3E+03	4.4E+01

Additional explanation

- Production destination : EU
- ·Calculation method of use stage (Calculated by the standard scenario for printer (EP type))
- Expected usage period : five years
- Estimated number of sheets used: 374,400%
- The impact of printing paper is not included
- The impact of expendables and Maintenance parts are included in the stage of Use&maintenance.
- ※ Conformed to the International ENERGY STAR® Ver3.0 Program

Supplementary environmental information

The assembly of this product and the production of its main components are carried out at ISO14001 certified factories.

Material composition		
Material		Unit
Steel	3.2E+00	kg
SUS	7.7E-02	kg
Al	1.0E-01	kg
Other metals	4.4E-03	kg
Glass	1.6E-02	kg
Thermoplastics resin	8.5E+00	kg
Paper and Wood	2.5E+00	kg
Rubber	1.3E-01	kg
Assembled circuit board	5.7E-01	kg
Othres	9.6E-01	kg

Assumptions of secondary data used
IDEA v3.4
Registered data of Japan EPD Program by SuMPO, JLCA data v1.16

Remarks
_

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)
- This is a selfdeclared translation of EPD that can be accessed at [https://ecoleaf-label.jp/epd/2505] and is published for convenience purposes. Only the original EPD is valid and binding between parties.