

KONICAMINOLTA ,INC.

# AccurioPress C14010S



(Photo : Mounted option-unit( PF-712,RU-518m,IQ-601,OT-512) is not included in the calculation. )

## Functional unit

Per unit of product

## System boundary

☒ final products      ☐ intermediate products

Raw material acquisition, Production, Distribution,  
Use & maintenance, End-of-Life

## Main specifications of the product

Model name : AccurioPress C14010S

☒ Marking technologies : Electrophotographic Printer (EP)

☒ Printing speed(A4) : Monochrome 140 ppm

Color 140 ppm

☒ Printing paper : Maximum A3

☒ Duplex function : Standard

## Company Information

Please direct any inquiries or comments  
to e-mail: [eco-support@konicaminolta.com](mailto:eco-support@konicaminolta.com)

Registration#	JR-AI-25107E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	6 October 2025
Verification date	19 September 2025
Verification method	System certification
Verification#	JV-AI-25107
Expiration date	18 September 2030
PCR review was conducted by:	

Approval date	01 September 2023
PCR review panel chair	Masayuki Kanzaki (Sustainable Management Promotion Organization)

## Third party verifier\*

Kazuo Naitou

Independent verification of data & declaration in  
accordance with ISO14025

☐ internal      ☒ external

\*Auditor's name is stated if system certification has been performed.

Results of life cycle impact assessment (LCIA)						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total (GWP-total)	kg-CO <sub>2</sub> eq	4.05E+03	5.12E+01	6.56E+02	6.82E+03	7.63E+02
Ozone layer destruction	kg-CFC-11eq	2.12E-04	2.99E-06	2.56E-07	1.08E-03	3.06E-06
Eutrophication	kg-PO <sub>4</sub> <sup>3-</sup> eq	5.04E-02	6.08E-06	1.79E-04	2.20E-01	1.82E-03
Acidification	kg-SO <sub>2</sub> eq	3.78E+00	4.98E-02	3.71E-01	1.06E+01	3.58E-01
Photochemical ozone	kg-C <sub>2</sub> H <sub>4</sub> eq	7.15E-02	8.50E-04	3.06E-03	1.42E-01	4.92E-03
ADP elements	kg-Sbeq	4.94E-01	2.61E-04	5.96E-05	2.47E+00	4.86E-04

Life cycle inventory analysis (LCI)						
Indicators describing use of primary resources						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
RPR <sub>E</sub>	MJ	6.77E+03	4.99E+02	4.11E+01	5.70E+04	4.66E+02
RPR <sub>M</sub>	MJ	1.01E+03	8.88E-03	1.57E-02	1.09E+02	1.58E-01
NRPR <sub>E</sub>	MJ	5.99E+04	1.54E+03	7.40E+03	1.06E+06	5.69E+03
NRPR <sub>M</sub>	MJ	2.86E+03	6.10E-01	4.89E-01	2.99E+04	3.54E+00

Additional explanation	
<ul style="list-style-type: none"> <li>• Production destination : EU</li> <li>• Calculation method of use stage (Calculated by the standard scenario for MFP (EP type))</li> <li>- Expected usage period : five years</li> <li>- Estimated number of sheets used : 11,750,400※</li> <li>- The impact of printing paper is not included</li> <li>- The impact of expendables and Maintenance parts are included in the stage of Use&amp;maintenance.</li> <li>※ Conformed to the International ENERGY STAR® Ver2.0 Program</li> <li>• The results of the environmental impact assessment are presented as relative figures only. These figures should not be interpreted as definitive indicators of environmental impact based solely on their magnitude.</li> </ul> <p>Additionally, the calculated figures do not directly reflect the specific extent of environmental impact, environmental</p>	

Supplementary environmental information	
<ul style="list-style-type: none"> <li>• ENERGY STAR® Ver.3.0 qualified</li> <li>• The assembly of this product and the production of its main components are carried out at an ISO14001 certified factory.</li> </ul>	

Material composition		
Material		Unit
Steel	4.9E+02	kg
SUS	1.3E+01	kg
Al	2.3E+01	kg
Other metals	1.7E+01	kg
Glass	5.7E-01	kg
Thermoplastics resin	4.6E+01	kg
Wood	4.0E+01	kg
Paper	2.9E+01	kg
Rubber	1.2E+01	kg
Assembled circuit board	2.1E+01	kg
Medium-sized motor	3.4E+01	kg

Regulated hazardous substances		
Substance	CAS No.	Reference to standards or regulations

Assumptions of secondary data used
IDEA v3.4, registered data v2.13 of Japan EPD Program by SuMPO are used.

Remarks
-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at [<https://ecoleaf-label.jp/epd/2509>]  
and is published for convenience purposes. Only the original EPD is valid and binding between parties.