Ecoleaf Environmental Labeling Program
Sustainable Management Promotion Organization
2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan
https://ecoleaf-label.jp/



RICOH COMPANY, LTD

RICOH

imagine. change.

Color MFP (Electrophotography)

PRO C7210SX



Functional unit	Registration#	JR-AI-21067E			
Per product	PCR number	PA-590000-AI-03			
	PCR name	Imaging input and/or output equipment			
System boundary	Publication date	5/28/2021			
■ final products □intermediate products	Verification date	5/17/2021			
Raw material acquisition, Production, Distribution,	Verification method System certificaion				
Use & maintenance, End-of-Life	Verification# JV-AI-20121				
	Expiration date	5/16/2026			
Main specifications of the product	PCR review was conducted by:				
Product name: PRO C7210SX Product destination: NA	Approval date 11/8/2019				
Main specifications:	PCR review Masayuki Kanzaki				
MFP (Electrophotography)	panel chair (SuMPO)				
Print Speed : 95 prints/minute (A4)	Third party verifier*				
Maximum Paper Size : 11" x 17"	Yasuo Koseki				
Included Units in Assessment : Automatic Reversing	Independent verification of data & declaration in				
Document Feeder, Automatic Duplexing Unit	accordance with ISO14025				
Company Information	E]internal ■external			
RICOH COMPANY,LTD	*Auditor's name is stated if system certification has been performed.				
Tel:(03) 3777-8111					

Registration number : JR-AI-21067E



EcoLeaf

Ecoleaf Environmental Labeling Program

Type III Environmental Declaration (EPD) Registration number : JR-AI-21067E Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

1. Results of life cycle impact assessment (LCIA)							
			0%	20% 4	0% 60	% 80%	6 100%
Global warming IPCC2013 GWP100a	13000	kg-CO2eq	23%	2 <mark>%</mark> %	6	9%	<mark>4%</mark>
Acidification	9.5	kg-SO2eq		43%	1 <mark>%%</mark>	49%	<mark>2%</mark>
Resources consumption	1.8	kg-Sbeq	Paw	72%		0%	27% 0%
Raw material acquisition Production Distribution Use & maintenance End-of-Life Use & maintenance							
stage Parameter	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a	kg-CO ₂ eq	1.3E+04	3.0E+03	2.7E+02	3.6E+02	9.1E+03	5.4E+02
Acidification	kg-SO ₂ eq	9.5E+00	4.1E+00	9.5E-02	5.0E-01	4.6E+00	2.2E-01
Resources consumption	kg-Sbeq	1.8E+00	1.3E+00	1.2E-03	1.5E-03	5.0E-01	3.3E-04

2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	7.6E+02	kg		
Renewable material resources	1.4E+03	kg		

3. Material composition				
Material		Unit		
SUS	18.8	kg		
Aluminum	26.8	kg		
Ordinary steel	436.3	kg		
Other metals	19.8	kg		
Thermoplastic resin	73.6	kg		
Thermosetting resin	8.8	kg		
Glass	6.6	kg		
Rubber	3.6	kg		
Paper	34.9	kg		
Lubricant	0.1	kg		
Mounting circuit board	5.8	kg		
Wood	1.7	kg		

*Data derived from LCA and not assigned to the impact categories of LCIA

5. Additional explanation

-Products selected in the scenario used for load calculation -MFP (EP)

 \cdot Product destination: NA %

**Transportation scenarios are for China, Thailand, and Ricoh Group.from three production sites in Japan, North America, Europe, on transportation routes to the five poles of China, Oceania and Japan transport load calculate the weighted average of transportation activity per kg of product from the total calculated using the annual production volume for each pole. Then, it is used as a transportation unit of calcuration.

Expected usage period: 5 years

+ Estimated number of sheets:5,414,400 sheets $\ensuremath{\mathbb{X}}$

*Compatible with International Energy Star Program Ver.2.0
-The load on the image output medium (printing paper) is not included.



Ecoleaf Environmental Labeling Program

Type III Environmental Declaration (EPD) Registration number : JR-AI-21067E Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.2.0. It also complies with the European RoHS Directive.

Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified

7. Assumptions of secondary data used IDEA v2.1.3 is used and registration data and JLCA data v1.10 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.

- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL : https://ecoleaf-label.jp/regulation/)

Registration number : JR-AI-21067E