

SuMPO EPD Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Registration number: JR-AI-25198E



FUJ!FILM

富士フイルム ビジネス イノベーション株式会社

富士フイルム ビジネス イノベーション株式会社 FUJIFILM Business Innovation Corp.

A3 Color Multifunction Printer

Apeos C2567 (Model-CPS) (for CN)

Apeos, Apeos logo, ApeosPro, ApeosPort and ApeosPrint are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.

Functional unit

Per unit of product

System boundary

■ final products □intermediate products

Raw material acquisition, Production, Distribution,

Use & Maintenance, End-of-Life

Main specifications of the product

- Model: Apeos C2567 (Model-CPS)
- Color Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Color 25ppm, Monochrome 25ppm
- Paper Size (Max.): A3, 11x17"
- Copy / Print / Scan
- Automatic 2 Sided Output,
 Automatic Document Feeder

Registration#	JR-AI-25198E		
PCR number	PA-590000-AI-08		
PCR name	Imaging input and/or output equipment		
Publication date	11 November 2025		
Verification date	30 October 2025		
Verification method	System certificaion		
Verification#	2025-FB-EL-053		
Expiration date	29 October 2030		
PCR review was conducted by:			
Approval date	01 September 2023		
PCR review	Masayuki Kanzaki		
panel chair	Sustainable Management Promotion Organization		

Third party verifier*

Sachiko Hashizume

Independent verification of data & declaration in accordance with ISO14025

Company Information

FUJIFILM Business Innovation Corp.

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

https://www.fujifilm.com/fbglobal/eng

Registration number: JR-AI-25198E

^{*}Auditor's name is stated if system certification has been performed.





SuMPO EPD Type III Environmental Declaration (EPD)

JR-AI-25198E

Sustainable Management Promotion Organization 14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

Results of life cycle impact assessment (LCIA)						
		Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global Warming Potential total	kg-CO₂eq	4.16E+02	3.58E+01	8.73E+01	6.10E+01	8.33E+01
(GWP-total) Ozone layer destruction	kg-CFC-11eg	3.33E-05	6.75E-08	2.30E-08	1.70E-06	1.72E-08
Eutrophication	kg-PO ₄ ³-eq	1.28E-02	7.48E-04	1.46E-04	2.21E-03	9.17E-05
Acidification	kg-SO₂eq	1.25E+00	2.15E-01	1.30E-01	3.24E-01	8.66E-02
Photochemical ozone	kg-C₂H₄eq	8.13E-03	1.12E-04	8.70E-04	3.75E-04	6.54E-04
ADP elements	kg-Sbeq	5.03E-01	1.22E-04	1.09E-05	1.18E-02	1.64E-05

Life cycle inventory analysis (LCI)						
Indicators describing use of primary resources						
		Paw material acquisition	Raw material acquisition Production	Distribution	Use &	End-of-Life
	kaw mat				maintenance	
RPR _E	MJ	9.69E+02	2.64E+02	7.93E+00	3.78E+02	3.70E+01
RPR _M	MJ	1.70E+01	1.70E+02	1.96E+02	9.29E+00	7.02E-03
NRPR _E	MJ	7.04E+03	1.12E+03	9.78E+02	1.68E+03	4.29E+02
NRPR _M	MJ	1.08E+03	3.05E+00	2.76E+00	1.01E+02	9.30E-02
Consumption of freshwater	m³	3.38E+00	1.79E+01	2.06E+01	1.13E+00	6.64E-03

Additional explanation

- · Product destination: China
- · Calculated based on standard scenario for MFP (EP type).
- · Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The electricity consumption on use stage of this product is calculated based on TEC value measured according to ENERGY STAR® Program Version 3.2.
- · Assumed print volume are 90,000 sheets.

 $1/4 \times 25$ (jobs per day) x 12 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 90,000(sheets)

Supplementary environmental information

Material composition			
Material		Unit	
Steel	28	kg	
SUS	0.14	kg	
Alminium	1.4	kg	
Other Metals	5.2	kg	
Plastic	26	kg	
Rubber	0.42	kg	
Glass	1.9	kg	
Paper, Wood	11	kg	
Circuit Board	1.1	kg	
Conversion Parts	3.5	kg	
Others	1.6	kg	

Regulated hazardous substances				
Substance	CAS No.	Reference to standards or regulations		
_	_	-		
_	-	-		
_	-	_		

Assumptions of secondary data used			
Inventory Database: LCI Database IDEA v3.4,			
Japan EPD Program by SuMPO registered data v1.16.			

Remarks	
_	

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)
- This is a selfdeclared translation of EPD that can be accessed at https://ecoleaf-label.jp/epd/2585 and is published for convenience purposes. Only the original EPD is valid and binding between parties.