



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-21061E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan
<https://ecoleaf-label.jp/>



Color MFD TASKalfa Pro 15000c(US)

KYOCERA Document Solutions Inc.

Functional unit

Per unit of product

System boundary

final products intermediate products
Raw material acquisition-Production-Distribution-
Use & maintenance-End-of-Life

Main specifications of the product

Model name :Color MFD
TASKalfa Pro 15000c
Making Technology : High Performance Inkjet
Printng Speed: Color 150 Pages per minute in A4
Monochrome 150 Pages per minute in A4
printing paper :Maximum A3
Duplex function: Standard

Company Information

KYOCERA Document Solutions Inc.
Quality Assurance Division Reliability Assurance Section 11
TEL : 06-6764-3764
<http://www.kyoceradocumentsolutions.co.jp/>

Registration#	JR-AI-21061E-A
PCR number	PA-590000-AI-03
PCR name	Imaging input and/or output equipment
Publication date	5/19/2021
Verification date	5/7/2021
Verification method	System certificaion
Verification#	JV-AI-21061E
Expiration date	5/6/2026
PCR review was conducted by:	
Approval date	11/8/2019
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organizatic

Third party verifier*

Wataru Kawamura

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-21061E-A



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	3.4E+03	1.5E+03	4.2E+01	3.6E+02	1.3E+03	1.4E+02
Acidification		kg-SO ₂ eq	3.0E+00	1.3E+00	3.0E-03	8.3E-01	6.4E-01	2.2E-01
Resources consumption		kg-Sbeq	4.6E-01	4.5E-01	6.0E-05	1.5E-03	8.4E-03	1.8E-04

2. Life cycle inventory analysis (LCI)

Parameter	Value	Unit
Non-renewable material resources	3.1E+02	kg
Non-renewable energy resources	5.3E+04	MJ
Renewable material resources	2.6E+02	kg
Renewable primary energy	1.2E+03	MJ

3. Material composition

Material	Value	Unit
Steel	2.1E+02	kg
SUS	2.0E+01	kg
Cu	5.7E+00	kg
Al	3.3E+00	kg
Other metals	3.0E-02	kg
Glass	1.7E+00	kg
Thermoplastics resin	5.3E+01	kg
Thermosetting resin	1.9E+00	kg
Rubber	6.3E-01	kg
Paper	1.5E+01	kg
Wood	2.8E+01	kg
Assembled circuit board	5.9E+00	kg
Medium-sized motor	1.0E+01	kg

5. Additional explanation

- Product destination: North America
- Calculation method of use stage (scenario)
 - ① Expected usage period: five years
 - ② Estimated number of sheets used:
Color 1,684,800、Monochrome 1,684,800
 - ③ The impact of printing paper is not included
- Products selected in the scenario used
for inventory calculation : Multifunction device (High Performance IJ)
- Conformed to the International ENERGY STAR® Ver3.0 Program
- Consumables will be shipped directly from the factory to the country of sale separately from the product body.



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-21061E-A

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization

14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

6-1. Supplementary environmental information

- Conformed to the International ENERGY STAR® Ver3.0 Program
- Manufactured at ISO14001 certified factories.
- halogenated flame retardants are not used in Plastic housing and outer package.

7

IDEA v2.1.3 and Ecoleaf Environmental Labeling Program Registry data v1.08

8. Remarks

Date of the change: 8/10/2023 Making technology was changed due to a misdescription.

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-21061E-A