



RICOH COMPANY,LTD

Black and White MFP (Electrophotography)

IM 8000 (for EU)



Functional unit

Per product

System boundary

☒ final products ☐ intermediate products

Raw material acquisition, Production, Distribution,
Use & maintenance, End-of-Life

Main specifications of the product

Product name: IM 8000(for EU)

Main specifications:

MFP (Electrophotography)

Print Speed : Monochrome 80ppm (A4)

Maximum Paper Size : 13×19.2 inch

Function: Print /Copy /Scan

Included Units in Assessment : Automatic Reversing
Document Feeder, Automatic Duplexing Unit

Registration#	JR-AI-25350E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	22 Dec 2025
Verification date	12 Dec 2025
Verification method	System certification
Verification#	JV-AI-25350
Expiration date	11 Dec 2030

PCR review was conducted by:

Approval date	1 Sep 2023
PCR review panel chair	Masayuki Kanzaki (SuMPO)

Third party verifier*

Hiroyuki Uchida

Independent verification of data & declaration in
accordance with ISO14025

☐ internal ☒ external


Company Information

RICOH COMPANY,LTD

<https://www.ricoh.co.jp/>

*Auditor's name is stated if system certification has been performed.

1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	1.9E+03	1.1E+03	5.9E+01	1.8E+02	3.8E+02	2.1E+02
Acidification		kg-SO ₂ eq	2.1E+00	1.3E+00	6.3E-02	1.7E-01	4.7E-01	9.2E-02
Resources consumption		kg-Sbeq	4.6E-01	4.5E-01	3.9E-04	7.6E-04	7.6E-03	1.3E-04

2. Life cycle inventory analysis (LCI)

Parameter	Unit	Value
Non-renewable material resources	kg	2.3E+02
Renewable material resources	kg	2.4E+02

3. Material composition

Material	Value	Unit
SUS	5.0E+00	kg
Aluminum	5.1E+00	kg
Ordinary steel	1.3E+02	kg
Other metals	7.6E+00	kg
Thermoplastic resin	4.5E+01	kg
Thermosetting resin	1.1E+00	kg
Glass	2.3E+00	kg
Rubber	3.8E-01	kg
Paper	1.2E+01	kg
Lubricant	4.1E-02	kg
Mounting circuit board	2.0E+00	kg
Wood	1.3E+01	kg
Other	0.0E+00	kg

5. Additional explanation

Products selected in the scenario used for load calculation

--MFP (Electrophotography)

- Product destination: EU
- Expected usage period: 5 years
- Estimated number of sheets: 960,000 sheets ※

※Compatible with International Energy Star Program Ver.3.0

-The load on the image output medium (printing paper) is not included.



SuMPO EPD
Type III Environmental Declaration (EPD)

Registration number : JR-AI-25350E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan
<https://ecoleaf-label.jp/>

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.0. It also complies with the European RoHS Directive. Assembly production of this product and production of the main parts, photoconductor and toner, are carried out at an ISO14001 certified factory.

Certification number: JQA-E-70001 CERT-0138391

<https://jp.ricoh.com/sustainability/environment/management/iso>

7. Assumptions of secondary data used

IDEA v3.1.0, and registered data of Japan EPD Program by SuMPO v1.16 are used.

8. Remarks

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-25350E