



**FUJIFILM**  
Value from Innovation

富士フイルム ビジネス イノベーション株式会社  
FUJIFILM Business Innovation Corp.

Remanufactured Product  
A3 Color Multifunction Printer  
ApeosPort C3570 R (for SG)

Apeos, Apeos logo, ApeosPro, ApeosPort and ApeosPrint are registered trademarks or trademarks of FUJIFILM Business Innovation Corp. in Japan and/or other countries.  
Xerox, the Xerox logo, and the Fuji Xerox logo are registered trademarks or trademarks of Xerox Corporation.

**Functional unit**

Per unit of product

**System boundary**

final products       intermediate products  
Raw material acquisition, Production, Distribution,  
Use & Maintenance, End-of-Life

**Main specifications of the product**

- Model: ApeosPort C3570 R
- Color Multifunction Printer (EP Type)
- Print Speed (A4 LEF): Color 35ppm, Monochrome 35ppm
- Paper Size (Max.): A3,12x18"(305x457mm),  
SRA3(320x450mm)
- Copy / Print / Scan
- Automatic 2 Sided Output,  
Automatic Document Feeder

|                     |                                       |
|---------------------|---------------------------------------|
| Registration#       | JR-AI-25364E                          |
| PCR number          | PA-590000-AI-08                       |
| PCR name            | Imaging input and/or output equipment |
| Publication date    | 30 January 2026                       |
| Verification date   | 13 January 2026                       |
| Verification method | System certificaion                   |
| Verification#       | 2025-FB-EL-085                        |
| Expiration date     | 12 January 2031                       |

**PCR review was conducted by:**

|                        |   |
|------------------------|---|
| Approval date          | 01 September 2023   |
| PCR review panel chair | Masayuki Kanzaki<br>Sustainable Management Promotion Organization |

**Third party verifier\***

Sachiko Hashizume

Independent verification of data & declaration in accordance  
with ISO14025

internal

external

\*Auditor's name is stated if system certification has been performed.

**Company Information**

**FUJIFILM Business Innovation Corp.**

6-1 Minatomirai, Nishi-ku, Yokohama-shi, Kanagawa Japan

<https://www.fujifilm.com/fbglobal/eng>

Registration number : JR-AI-25364E



Registration number :

# SuMPO EPD

## Type III Environmental Declaration (EPD)

JR-AI-25364E

Japan EPD Program by SuMPO

Sustainable Management Promotion

Organization

14-8, Uchikanda 1-chome, Chiyoda-ku,

Tokyo Japan

<https://ecoleaf-label.jp/>

### Results of life cycle impact assessment (LCIA)

|  |                                     | Raw material acquisition | Production | Distribution | Use & maintenance | End-of-Life |
|--|-------------------------------------|--------------------------|------------|--------------|-------------------|-------------|
| Global Warming Potential total (GWP-total) | kg-CO <sub>2</sub> eq               | 3.66E+02                 | 2.87E+01   | 5.88E+01     | 1.29E+02          | 1.55E+02    |
| Ozone layer destruction                    | kg-CFC-11eq                         | 4.58E-05                 | 4.53E-08   | 2.64E-08     | 3.91E-06          | 3.35E-08    |
| Eutrophication                             | kg-PO <sub>4</sub> <sup>3-</sup> eq | 1.14E-02                 | 1.18E-03   | 1.87E-04     | 5.63E-03          | 1.84E-04    |
| Acidification                              | kg-SO <sub>2</sub> eq               | 9.98E-01                 | 1.82E-01   | 6.66E-02     | 5.92E-01          | 1.67E-01    |
| Photochemical ozone                        | kg-C <sub>2</sub> H <sub>4</sub> eq | 1.03E-02                 | 6.25E-05   | 4.46E-04     | 1.12E-03          | 1.30E-03    |
| ADP elements                               | kg-Sbeq                             | 4.26E-01                 | 9.96E-05   | 1.35E-05     | 4.50E-02          | 3.23E-05    |

### Life cycle inventory analysis (LCI)

#### Indicators describing use of primary resources

|                           |                | Raw material acquisition | Production | Distribution | Use & maintenance | End-of-Life |
|---------------------------|----------------|--------------------------|------------|--------------|-------------------|-------------|
| RPR <sub>E</sub>          | MJ             | 7.43E+02                 | 2.28E+02   | 9.75E+00     | 6.45E+02          | 7.27E+01    |
| RPR <sub>M</sub>          | MJ             | 1.56E+01                 | 3.84E-03   | 2.52E+02     | 6.44E+02          | 1.37E-02    |
| NRPR <sub>E</sub>         | MJ             | 5.78E+03                 | 9.50E+02   | 6.77E+02     | 3.09E+03          | 8.47E+02    |
| NRPR <sub>M</sub>         | MJ             | 1.06E+03                 | 2.90E-01   | 2.83E+00     | 2.56E+02          | 1.78E-01    |
| Consumption of freshwater | m <sup>3</sup> | 2.94E+00                 | 2.48E-02   | 2.65E+01     | 6.80E+01          | 1.30E-02    |

### Additional explanation

- Product destination: Singapore
- Calculated based on standard scenario for MFP (EP type).
- Assumed lifespan of the product is five years.
- Printing paper is excluded from Use & maintenance stage.
- The electricity consumption on use stage of this product is calculated based on TEC value measured according to ENERGY STAR® Program Version 3.2.
- Assumed print volume are 182,400 sheets.  
1/4 x 32 (jobs per day) x 19 (sheets per job) x 5 (days) x 4 (weeks) x 12 (months) x 5 (years) = 182,400 (sheets)
- This product uses reused parts to reduce the environmental impact. It is not included at the raw material acquisition stage in the LCA

### Supplementary environmental information

-

#### Material composition

| Material         |      | Unit |
|------------------|------|------|
| Steel            | 62   | kg   |
| SUS              | 1.2  | kg   |
| Alminium         | 0.85 | kg   |
| Other Metals     | 10   | kg   |
| Plastic          | 44   | kg   |
| Rubber           | 0.29 | kg   |
| Glass            | 1.8  | kg   |
| Paper, Wood      | 10   | kg   |
| Circuit Board    | 4.0  | kg   |
| Conversion Parts | 6.3  | kg   |
| Others           | 5.3  | kg   |

#### Regulated hazardous substances

| Substance | CAS No. | Reference to standards or regulations |
|-----------|---------|---------------------------------------|
| –         | –       | –                                     |
| –         | –       | –                                     |
| –         | –       | –                                     |

#### Assumptions of secondary data used

Inventory Database: LCI Database IDEA v3.4,  
Japan EPD Program by SuMPO registered data v1.16.

#### Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at <https://ecoleaf-label.jp/epd/2796> and is published for convenience purposes. Only the original EPD is valid and binding between parties.