



**SHARP**

Sharp Corporation

DIGITAL FULL COLOR MULTIFUNCTIONAL SYSTEM

**BP-80C70 (EUR)**

LARGE CAPACITY TRAY, EXIT TRAY UNIT,  
PAPER PASS UNIT and SADDLE STITCH FINISHER  
are not included in the calculation.

### Functional unit

Per unit of product

### System boundary

final products     intermediate products  
Raw material acquisition, Production, Distribution,  
Use & maintenance, End-of-Life

### Main specifications of the product

Model name : BP-80C70  
Marking technologies : Electrophotographic Printer (EP)  
Print speed : Monochrome 76prints/minute (A4)  
Full-color 70prints/minute (A4)

Maximum Paper Size : SRA3  
Print/Copy/Scan : Standard  
Duplex printing/ADF : Standard

### Company Information

SHARP CORPORATION  
Smart Business Solutions BU  
E-mail : [ECOLEAF-BS@sharp.co.jp](mailto:ECOLEAF-BS@sharp.co.jp)

Registration#	JR-AI-26036E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	03 June 2026
Verification date	21 May 2026
Verification method	System certification
Verification#	FV-08-26007
Expiration date	20 May 2031
<b>PCR review was conducted by:</b>	
Approval date	01 September 2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

### Third party verifier\*


Shouko Hashizume

Independent verification of data & declaration in  
accordance with ISO14025

internal     external

\*Auditor's name is stated if system certification has been performed.

### 1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO <sub>2</sub> eq	2.6E+03	1.1E+03	6.8E+01	1.8E+02	1.0E+03	2.8E+02
Acidification		kg-SO <sub>2</sub> eq	2.8E+00	1.1E+00	3.7E-01	1.9E-01	1.0E+00	1.5E-01
Resources consumption		kg-Sbeq	3.7E-01	3.1E-01	2.9E-04	7.9E-04	6.1E-02	3.5E-04

### 2. Life cycle inventory analysis (LCI)

Parameter	Value	Unit
Non-renewable material resources	2.6E+02	kg
Renewable material resources	5.0E+02	kg

### 3. Material composition

Material	Value	Unit
Steel	1.2E+02	kg
SUS	3.4E+00	kg
Aluminium	2.7E+00	kg
Other metal	2.4E+00	kg
Plastic	5.4E+01	kg
Rubber	5.0E-01	kg
Glass	2.4E+00	kg
Paper · Wood	3.3E+01	kg
Circuit Board	3.2E+00	kg
Others	1.8E+01	kg

### 5. Additional explanation

- Product destination: Europe
  - Calculation method of use stage (scenario)
    - Expected usage period: five years
    - Estimated number of use : 864,000 sheets  
 $32 \text{ (Jobs/Day)} \times 90 \text{ (Sheets/Job)} \div 4 \times 5 \text{ (Days/Week)} \times 4 \text{ (Weeks/Month)} \times 12 \text{ (Months/Year)} \times 5 \text{ (Years)}$   
 $= 864,000 \text{ sheets}$
  - The impact of paper for printing is not included.
  - Products selected in the scenario used for inventory calculation : Multifunction device (EP)
- ※ Calculated according to the ENERGY STAR® Ver.3.0 program.

### 6-1. Supplementary environmental information

- Assembly and production of this product, as well as production of the photoconductor and toner, which are the main components, are performed at ISO 14001-certified factories.

### 7. Assumptions of secondary data used

IDEA v3.1.0 and Japan EPD Program by SuMPO Registry data v1.15

### 8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)
- This is a selfdeclared translation of EPD that can be accessed at <https://ecoleaf-label.jp/epd/2982> and is published for convenience purposes. Only the original EPD is valid and binding between parties.