



Monochrome MFD

# TASKalfa MZ8500i(US)

KYOCERA Document Solutions Inc.

## Functional unit

Per unit of product

## System boundary

■ final products     intermediate products

Raw material acquisition-Production-Distribution-  
Use & maintenance-End-of-Life

## Main specifications of the product

Model name : Monochrome MFD

TASKalfa MZ8500i(US)

Making Technology : Electrophotographic Printer (EP)

Printng Speed:

Monochrome 85 pages per minute in A4

Prting paper : Maximum 13 inch X 19.2 inch/SRA3

Duplex function: Standard

ADF: Standard

Copy / Print / Scan / FAX(Optional)

## Company Information

KYOCERA Document Solutions Inc.

Quality Assurance Division Reliability Assurance Section 21

TEL : 06-6764-3764

<https://www.kyoceradocumentsolutions.co.jp>

Registration#	JR-AI-26082E
PCR number	PA-590000-AI-08
PCR name	Imaging input and/or output equipment
Publication date	10 July 2026
Verification date	24 June 2026
Verification method	System certificaion
Verification#	JV-AI-26082E
Expiration date	6/23/2031

## PCR review was conducted by:

Approval date	1 September 2023
PCR review panel chair	Masayuki Kanzaki Sustainable Management Promotion Organization

## Third party verifier\*


Hiroyuki Uchida

Independent verification of data & declaration in accordance with ISO14025

internal     external

\*Auditor's name is stated if system certification has been performed.

### 1. Results of life cycle impact assessment (LCIA)



### 2. Life cycle inventory analysis (LCI)

Parameter	Value	Unit
Non-renewable material resources	1.9E+02	kg
Non-renewable energy resources	3.8E+04	MJ
Renewable material resources	3.7E+02	kg
Renewable primary energy	3.1E+03	MJ

### 3. Material composition

Material	Value	Unit
Steel	7.9E+01	kg
SUS	2.3E+00	kg
Cu	3.2E+00	kg
Al	2.2E+00	kg
Thermoplastics resin	5.2E+01	kg
Thermosetting resin	5.8E-01	kg
Rubber	2.2E-01	kg
Paper	2.0E+01	kg
Assembled circuit board	5.0E+00	kg
Medium-sized motor	5.4E+00	kg
Glass	7.5E+00	kg
Wood	1.6E+01	kg
Other electric electronic component	1.1E-01	kg

### 5. Additional explanation

- Product destination: North America
- Calculation method of use stage (scenario)
  - ① Expected usage period: five years
  - ② Estimated number of sheets used:  
Monocrome 1,075,200
  - ③ The impact of printing paper is not included
- Products selected in the scenario used for inventory calculation :  
Copier, Printer and Multifunction device (EP)
- Conformed to the International ENERGY STAR® Ver3.2 Program
- Consumables will be shipped directly from the factory to the country of sale separately from the product body and all of them are accounted for in the use and maintenance phase.



SuMPO EPD  
Type III Environmental Declaration (EPD)

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization  
14-8, Uchikanda 1-chome, Chiyoda-ku, Tokyo Japan  
<https://ecoleaf-label.jp/>

Registration number : JR-AI-26082E

#### 6-1. Supplementary environmental information

- Conformed to the International ENERGY STAR® Program
- Manufactured at ISO14001 certified factories.
- Halogenated flame retardants are not used in Plastic housing and outer package.

#### 7. Assumptions of secondary data used

IDEA v3.1.0 and Japan EPD Program by SuMPO Registry data v1.16

#### 8. Remarks

–

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.  
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-26082E