



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-21135E

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization

2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

PFU Limited



FUJITSU Image Scanner fi-8150U



Functional unit

Per product

System boundary

final products intermediate products

Raw material

acquisition, Production, Distribution,

Use & maintenance, End-of-Life

Main specifications of the product

Product name : FUJITSU Image Scanner fi-8150U

Product Category : Sheet-fed scanner (Without Flat-bed)
For Business

Scanning Speed : Simplex or Duplex, 50 ppm(100 ipm)

Scanning Size : 215.9mm × 355.6mm (8.5in × 14in)

Scanning Method : CIS

Without LAN Interface

*This product is for United States.

Company Information

PFU Limited Imaging Service & Support center

E-mail: scanners@pfu.fujitsu.com

Registration#	JR-AI-21135E
PCR number	PA-590000-AI-03
PCR name	Imaging input and/or output equipment
Publication date	1/26/2022
Verification date	11/25/2021
Verification method	Product-by-product
Verification#	JV-AI-21135
Expiration date	11/24/2026
PCR review was conducted by:	
Approval date	11/8/2019
PCR review panel chair	Masayuki Kanzaki (SuMPO)

Third party verifier*

Yuki Sakamoto

Independent verification of data & declaration in accordance with ISO14025


internal external

*Auditor's name is stated if system certification has been performed.

Registration number : JR-AI-21135E



1. Results of life cycle impact assessment (LCIA)



Parameter	stage	Unit	Total	Raw material acquisition	Production	Distribution	Use & maintenance	End-of-Life
Global warming IPCC2013 GWP100a		kg-CO ₂ eq	1.4E+02	5.1E+01	4.2E+00	8.3E+00	7.7E+01	1.6E+00
Acidification		kg-SO ₂ eq	8.8E-02	3.9E-02	4.6E-04	1.8E-02	2.8E-02	2.9E-03
Resources consumption		kg-Sbeq	1.1E-02	9.8E-03	1.6E-05	3.5E-05	7.0E-04	6.8E-06

2. Life cycle inventory analysis (LCI)

項目	単位	Value
Non-renewable material resources	kg	3.6E+00
Renewable material resources	kg	9.7E+00

3. Material composition

Material	Unit	Value
Ordinary steel	kg	6.9E-01
SUS	kg	2.9E-01
Aluminum	kg	6.6E-04
Other metals	kg	5.9E-02
Plastic	kg	2.3E+00
Rubber	kg	2.2E-02
Glass	kg	4.0E-02
Paper and Wood	kg	2.2E+00
Circuit Board	kg	2.8E-01
Others	kg	5.7E-01



EcoLeaf

Type III Environmental Declaration (EPD)

Registration number : JR-AI-21135E

Ecoleaf Environmental Labeling Program

Sustainable Management Promotion Organization

2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan

<https://ecoleaf-label.jp/>

5. Additional explanation

Product selected for the scenario used for load calculation - Sheet-fed scanner

Product Destination: United States

Calculation method for the use phase

- Scans per day: 8,000 sheets/day (10 scans/day)
- Workdays per month: 20 days/month
- Working days per year: 240 days/year
- Expected usage period: 5 years
- Total scans: 12,000 times (9,600,000 sheets)/5 years

6-1. Supplementary environmental information

Compliant with the International Energy Star Program Ver.3.1. It also complies with the European RoHS Directive.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of EcoLeaf Environmental Labeling Program, JLCA datav1.10 are used.

8. Remarks

-

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied.
(Reference URL : <https://ecoleaf-label.jp/regulation/>)

Registration number : JR-AI-21135E