The Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Monochlome MFD TASKalfa MZ4000i

KYOCERA Document Solutions Inc.

Functional unit

Per unit of product

System boundary

■ final products ☐ intermediate products

Raw material acquisition-Production-Distribution-

Use & maintenance-End-of-Life

Main specifications of the product

Model name : Monochrome MFD

TASKalfa MZ4000i

Making Technology :Electrophotographic Printer (EP)
Printng Speed: Monochrome 40 Pages per minute in A4

Priting paper : Maximum A3

Duplex function: Standard

Company Information

KYOCERA Document Solutions Inc.

Quality Assurance Division Reliability Assurance Section 11

TEL: 06-6764-3764

http://www.kyoceradocumentsolutions.co.jp/

Registration#	JR-AI-22088E	
PCR number	PA-590000-AI-04	
PCR name	Imaging input and/or output equimpent	
Publication date	6/6/2022	
Verification date	31/5/2022	
Verification method	System certificaion	
Verification#	JV-AI-22088E	
Expiration date	5/30/2027	
PCR review was conducted by:		
Approval date	11/8/2019	
PCR review	Masayuki Kanzaki	
panel chair	Sustanable Management Promotion Organization	

Third party verifier*

Wataru Kawamura

Independent verification of data & declaration in accordance with ISO14025

□internal	■ external
	= CALCITIAI


Registration number: JR-AI-22088E

stAuditor's name is stated if system certification has been performed.



The Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)				
Parameter		Unit		
Non-renewable material resources	5.3E+01	kg		
Non-renewable energy resources	1.1E+04	MJ		
Renewable material resources	1.6E+02	kg		
Renewable primary energy	1.8E+02	MJ		

3. Material composition				
Material		Unit		
Steel	3.1E+01	kg		
SUS	1.0E+00	kg		
Cu	1.2E+00	kg		
Al	2.2E-01	kg		
Glass	1.6E+00	kg		
Thermoplastics resin	2.3E+01	kg		
Thermosetting resin	6.6E-02	kg		
Rubber	8.7E-02	kg		
Paper	1.8E+01	kg		
Assembled circuit board	2.1E+00	kg		
Medium-sized motor	1.2E+00	kg		
		kg		

5. Additional explanation

- · Product destination: Japan
- · Calculation method of use stage (scenario)
 - ①Expected usage period: five years
- ②Estimated number of sheets used:

Monoclome 240,000

- 3The impact of printing paper is not included
- Products selected in the scenario used for inventory calculation: Multifunction device (EP)
- Conformed to the International ENERGY STAR® Ver3.0 Program
- Consumables will be shipped directly from the factory to the country of sale separately from the product body.



The Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/

6-1. Supplementary environmental information

- Conformed to the International ENERGY STAR® Ver3.0 Program
- · Manufactured at ISO14001 certified factories.
- · halogenated flame retardants are not used in Plastic housing and outer package.

7

IDEA v2.1.3 and Ecoleaf Environmental Labeling Program Registry data v1.07

8. Remarks

_

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-22088E