

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



Business Level Colour Printer

HL-L9430CDN



Functional unit

Per unit of product

System boundary

lacktriangledown final products \Box intermediate products

Raw material acquisition - Production - Distribution

- Use & maintenance - End-of-Life

Main specifications of the product

Model name: HL-L9430CDN

- Printer (EP method)
- Colour
- Product weight: 29.1kg Packaging etc.: 4.5kg
- Printing Speed: 40ppm (A4)
- Automatic duplex printing
- wired LAN
- * This product is for European Union.

Company Information

Brother Industries, Ltd.

TEL: 81-52-824-2511 (Representative)

FAX: 81-52-824-5177 https://www.brother.eu/en

	Registration#	JR-AI-22034E	
1	PCR number	PA-590000-AI-04	
	PCR name	Imaging input and/or output equipment	
	Publication date	10/14/2022	
	Verification date	5/10/2022	
	Verification method	System certificaion	
	Verification#	JV-AI-22034E	
	Expiration date	5/9/2027	
	PCR review was conducted by:		
k	Approval date	4/1/2022	
	PCR review	Masayuki Kanzaki	
	panel chair	Sustainable Management Promotion Organization	

Third party verifier*

Wataru Kawamura

Independent verification of data & declaration in accordance with ISO14025

□internal **■** external


Registration number: JR-AI-22034E

^{*}Auditor's name is stated if system certification has been performed.

EcoLeaf Type III Environmental Declaration (EPD) Registration number: JR-AI-22034E

Japan EPD Program by SuMPO

Sustainable Management Promotion Organization 2-1, Kaji-cho 2 chome, Chiyoda-ku, Tokyo Japan https://ecoleaf-label.jp/



2. Life cycle inventory analysis (LCI)				
項目		単位		
Non-renewable material resources	3.8E+01	kg		
Non-renewable energy resources	3.6E+02	kg		
Renewable material resources	1.3E+02	kg		
Renewable primary energy	2.6E+02	MJ		
Consumption of freshwater	9.8E-01	m³		

3. Material composition				
Material		Unit		
Steel	8.9E+00	kg		
SUS	2.7E-01	kg		
Aluminium	4.1E-01	kg		
Other metal	1.0E-01	kg		
Plastic	1.7E+01	kg		
Rubber	2.1E-01	kg		
Glass	2.7E-01	kg		
Paper and Wood	3.7E+00	kg		
Circuit board	1.2E+00	kg		
Othres	2.0E+00	kg		

5. Additional explanation

Calculation method for usage stage (scenario): Printer (EP), Expected use period: 5 years, Assumed usage: 240,000 sheets, Print measuring method (pattern): ISO/IEC 19798, Printing paper is not included in the environmental impact, The applied Energy Star program version is 3.0, This product is for European Union.

6-1. Supplementary environmental information

This product and main compornents are produced in our ISO 14001 certified factories.

7. Assumptions of secondary data used

Inventory Database: IDEA v2.1.3, and registered data of Japan EPD Program by SuMPO, JLCA data v1.10 are used.

8. Remarks

Г

- For data quantification, please refer to PCR and Rules on quantification and declaration.
- Comparative assertion is permitted only when Rules on quantification and declaration are satisfied. (Reference URL: https://ecoleaf-label.jp/regulation/)

Registration number: JR-AI-22034E